



Next Generation Diagnostic Imaging P.C.

MERSHAD HAGIGI, MD, PHD
 DIPLOMATE, AMERICAN BOARD OF RADIOLOGY
 1664 East 14th Street, Suite LL • Brooklyn, NY 11229
 TEL: (718) 336-1865 • FAX: (718) 336-1275

DATE OF STUDY: 9/7/2022
 PATIENT NAME: RODRIGUEZ WAYNA
 DATE OF BIRTH: 10/27/1991
 PATIENT NUMBER: SR3133
 REFERRING PHYSICIAN: DR. ROSS-DISTINE

MRI OF THE RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Patient was involved in a motor vehicle accident and now complains of pain.

COMPARISON: None.

TECHNIQUE: MRI of the right shoulder was performed using T1 and T2 weighted sequences in multiple planes.

FINDINGS:

Mild synovial effusion is seen.

Minimal fluid is seen subacromial – subdeltoid and subcoracoid bursae and also along biceps tendon.

There is mild lateral downsloping of acromion seen.

Thickening of the inferior glenohumeral ligament is seen.

Small lesions, appearing hypointense on T1 and hyperintense on T2 weighted images is seen in humeral head. These are likely to represent non-specific cysts / geodes.

The alignment of the shoulder joint is normal. The rotator cuff is well visualized. There is no evidence of edema / tear.

The bones around the shoulder joint reveal normal intensity.

The gleno-humeral joint is normal. There is no evidence of erosion or destruction of articular cartilage. The articular margins are intact.

The glenoid labrum is normal. The acromio-clavicular joint also appears normal.

(Continued on Page Two)