

596 Anderson Avenue . Suite 120 - Cliffside Park, New Jersey 07010 Tel: (201) 945- MRI-7 • Fax: (201) 945 1466

PATIENT NAME:

RODRIGUEZ, YUDERKA

PATIENT DOB:

07/18/1967

CHART NUMBER:

044760 MARCH 18, 2022

EXAM DATE:

REFERRING PHYSICIAN:

DR. KOPACH, ALEKSANDR

MRI OF THE LEFT SHOULDER

Protocol: T1, T2 axial and sagittal projections

Clinical history: Pain, s/p injury

Findings: The acromioclavicular joint is intact. There is no fracture or edema of the distal clavicle. There is bony hypertrophy impinging upon the supraspinatus muscle tendon complex.

There is tendinosis of the supraspinatus tendon with a high-grade partial tear involving both the synovial and bursal surfaces of the supraspinatus tendon near the critical zone. There is moderate tendinosis and undersurface tear of the infraspinatus tendon. The subscapularis tendon is intact.

There is moderate fluid distending the subacromial-subdeltoid bursa and within the glenohumeral joint. The long head of the biceps tendon is normally situated in the bicipital groove.

There is a thickened irregular appearing anterior labrum. The posterior labrum is intact. The inferior glenohumeral ligamentous complex is normal.

IMPRESSION:

- 1. ACROMIOCLAVICULAR JOINT HYPERTROPHY IMPINGING UPON THE MYOTENDINOUS JUNCTION.
- 2. TENDINOSIS OF THE SUPRASPINATUS AND INFRASPINATUS TENDONS WITH A HIGH-GRADE, ALMOST COMPLETE, PARTIAL TEAR INVOLVING THE BURSAL AND SYNOVIAL SURFACES OF THE DISTAL SUPRASPINATUS TENDON AND UNDERSURFACE TEAR OF THE DISTAL INFRASPINATUS TENDON WITH MODERATE FLUID DISTENTION OF THE GLENOHUMERAL JOINT AND THE PERI-HUMERAL BURSA.
- 3. FINDINGS CONSISTENT WITH A TEAR OF THE ANTERIOR LABRUM.

Thank you for the courtesy of this referral.

**** Electronically Signed ****

Charles DeMarco, M.D.

Diplomate, American Board of Radiology