30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT: GARCIA-RAMON, EVANGELISTA EXAM DATE: 05/30/2022 12:39 PM STUDY MRI SHOULDER WITHOUT CONTRAST GARE65383 MRN: DESCRIPTION: REFERRING Qureshi, Adnan DOB: 11/05/1962 PHYSICIAN: CLINICAL C/O LT SHOULDER PAIN DUE TO MVA GENDER М **HISTORY** 

## MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Complains of left shoulder pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

## **ROTATOR CUFF:**

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon. No tendon retraction is found. No skeletal muscle atrophy is seen.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: There is a tear of the superior glenoid labrum.

30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

DESCRIPTION:

GARCIA-RAMON, EVANGELISTA

EXAM DATE:

05/30/2022 12:39 PM

STUDY

MRI SHOULDER WITHOUT CONTRAST

MRN:

GARE65383

DOB:

11/05/1962

REFERRING PHYSICIAN:

Qureshi, Adnan

CLINICAL HISTORY C/O LT SHOULDER PAIN DUE TO MVA

GENDER

M

·

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

## IMPRESSION:

- 1. Partial-thickness undersurface tear of the supraspinatus tendon.
- 2. Tear of the superior glenoid labrum.
- 3. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 05/31/2022 9:15 PM