

**AMI****American Medical Initiatives**30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ESPANA, MELANIE	EXAM DATE:	05/21/2022 1:30 PM
STUDY DESCRIPTION:	MRI ANKLE WITHOUT CONTRAST (JOINT)	MRN:	ESPM65463
DOB:	10/18/1991	REFERRING PHYSICIAN:	Mcgee, John J
CLINICAL HISTORY	C/O RT ANKLE PAIN after mva	GENDER	F

MAGNETIC RESONANCE IMAGING OF RIGHT ANKLE WITHOUT CONTRAST
HISTORY: Complaints of right ankle pain after motor vehicle accident.**TECHNIQUE:** Multiplanar, multi-sequence MRI of the right ankle was performed without intravenous contrast.
COMPARISON: None available.**FINDINGS:**
OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.**LIGAMENTS:**
TIBIO-FIBULAR SYNDESMOTIC: The lower syndesmotic ligaments are intact.**ANTERIOR TALOFIBULAR:** The anterior talofibular ligament is intact.**POSTERIOR TALOFIBULAR:** Hyperintense signal of the fibular attachment of the posterior talofibular ligament noted compatible with a partial tear.
CALCANEOFIBULAR LIGAMENT: The posterior calcaneofibular ligament is intact.**DELTOID LIGAMENT COMPLEX:** The deltoid ligament-complex is intact.**TENDONS:**
ACHILLES: The Achilles tendon is intact.
PERONEAL: The peroneal tendon is intact.
MEDIAL FLEXOR: The medial flexor tendon is intact.**ANTERIOR EXTENSOR TENDON:** The anterior extensor tendon is intact.**MUSCLES:** There is no intramuscular edema or fatty muscle atrophy.



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ESPANA, MELANIE	EXAM DATE:	05/21/2022 1:30 PM
STUDY DESCRIPTION:	MRI ANKLE WITHOUT CONTRAST (JOINT)	MRN:	ESPM65463
DOB:	10/18/1991	REFERRING PHYSICIAN:	Mcgee, John J
CLINICAL HISTORY	C/O RT ANKLE PAIN after mva	GENDER	F

PLANTAR FASCIA: The plantar fascia is intact.

CARTILAGE/SUBCHONDRAL BONE: The cartilage of the tibiotalar, subtalar, talonavicular, and calcaneocuboid joints is intact.

SYNOVIUM /JOINT FLUID: No synovial thickening or joint effusion.

SINUS TARSI: Normal.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

Hyperintense signal of the fibular attachment of the posterior talofibular ligament compatible with a partial tear.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 05/23/2022 9:05 PM