

106-01 101st Ave., Ozone Park, NY 11416 Tel: 718-850-0900 | Fax: 914-462-4764

PATIENT: THOMPSON, DAISY EXAM DATE:

06/30/2022 2:32 PM

STUDY DESCRIPTION: MRI KNEE WITHOUT CONTRAST (JOINT) MRN:

THOD70520

DOB:

03/07/1951

REFERRING PHYSICIAN:

Ziberman, Igor

CLINICAL **HISTORY** 

pain due to accident

**GENDER** 

MAGNETIC RESONANCE IMAGING OF THE RIGHT KNEE WHTHOUT IV CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right knee was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

## LIGAMENTS:

ANTERIOR CRUCIATE: There is hyperintense PD signal about the anterior cruciate ligament consistent with sprain sequelae.

POSTERIOR CRUCIATE: The posterior cruciate ligament is intact.

MEDIAL COLLATERAL LIGAMENT: The medial collateral ligament is intact.


LATERAL COLLATERAL LIGAMENT: The lateral collateral ligament is intact.

## JOINT SPACES:

MEDIAL COMPARTMENT: Intact medial meniscus and articular cartilage. LATERAL COMPARTMENT: Intact lateral meniscus and articular cartilage. PATELLOFEMORAL COMPARTMENT: Articular cartilage intact.

SYNOVIUM/JOINT FLUID: There is no joint effusion.

MUSCLES: No muscle edema or fatty muscle atrophy.



106-01 101st Ave., Ozone Park, NY 11416 Tel: 718-850-0900 | Fax: 914-462-4764

PATIENT: THOMPSON, DAISY EXAM DATE: 06/30/2022 2:32 PM STUDY MRI KNEE WITHOUT CONTRAST (JOINT) MRN: THOD70520 DESCRIPTION: DOB: 03/07/1951 REFERRING Zilberman, Igor PHYSICIAN: CLINICAL pain due to accident F **GENDER HISTORY** 

## NEUROVASCULAR STRUCTURES: Normal in course and caliber.

EXTENSOR MECHANISM: There is edema surrounding the patellar tendon consistent with paratenonitis.

The quadriceps tendon is intact.

PERIPHERAL SOFT TISSUES: Significant edema noted in the prepatellar region compatible with trauma sequelae.

PLICAE: No plicae demonstrated.

## IMPRESSION:

- 1. Anterior cruciate ligament sprain sequelae.
- 2. Patellar tendon paratenonitis.
- 3. Significant edema in the prepatellar region compatible with trauma sequelae.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 07/12/2022 8:25 PM