


Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234
Tel: 718-676-7828 • Fax: 718-676-7829



LEONID LITOVSKIY, P.A.
1314 CONEY ISLAND AVENUE
BROOKLYN, NY 11230

PATIENT: ADAM BARR
DOB: 04/15/1976 DOS: 08/13/2021 CHART #: 3634
EXAM: MRI OF THE CERVICAL SPINE WITHOUT CONTRAST

HISTORY: Neck pain, numbness, the pain radiates to the shoulders.

TECHNIQUE: Multiplanar MR imaging of the cervical spine was performed without contrast on Hitachi open MRI unit.

Axial T2; sagittal T1, T2, and STIR images of the cervical spine were obtained.

COMPARISON: None.

FINDINGS: The alignment and vertebral body height in the cervical spine is preserved.

The signal from the bone is normal.

There is no bone marrow edema or bony lesions identified.

There is multilevel disc desiccation in the cervical spine.

There is reversal of the cervical lordosis.

The cervical spinal cord demonstrates no abnormality.

The position of the cerebellar tonsil is normal.


C2-C3: No disc bulge or herniation, no spinal stenosis or neural foraminal narrowing.

C3-C4 and C4-C5: Broad based central and bilateral paracentral disc herniation causing effacement of the anterior aspect of the thecal sac and mild bilateral neural foraminal narrowing, no spinal stenosis.

C5-C6: Diffuse disc bulge causing moderate right and mild-to-moderate left neural foraminal narrowing.


C6-C7: Diffuse disc bulge, no spinal stenosis or neural foraminal narrowing.

C7-T1: No disc bulge or herniation, no spinal stenosis or neural foraminal narrowing.



Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234
Tel: 718-676-7828 • Fax: 718-676-7829



PATIENT: ADAM BARR
DOB: 04/15/1976 DOS: 08/13/2021 CHART #: 3634
EXAM: MRI OF THE CERVICAL SPINE WITHOUT CONTRAST
PAGE 2

IMPRESSION:

1. C3-C4 AND C4-C5 BROAD BASED CENTRAL AND BILATERAL PARACENTRAL DISC HERNIATION CAUSING EFFACEMENT OF THE ANTERIOR ASPECT OF THE THECAL SAC AND MILD BILATERAL NEURAL FORAMINAL NARROWING, NO SPINAL STENOSIS.
2. C5-C6 DIFFUSE DISC BULGE CAUSING MODERATE RIGHT AND MILD-TO-MODERATE LEFT NEURAL FORAMINAL NARROWING.
3. C6-C7 DIFFUSE DISC BULGE, NO SPINAL STENOSIS OR NEURAL FORAMINAL NARROWING.
4. REVERSAL OF THE CERVICAL LORDOSIS, WHICH IS ASSOCIATED WITH MUSCLE SPASM.
5. MULTILEVEL DISC DESICCATION IN THE CERVICAL SPINE.

Thank you for referring this patient to us.

G. Amoachi

Guenadi Amoachi, MD
Diagnostic Radiologist
Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 08/16/2021 08:21:27