



170-10 Cedarcroft Road, Jamaica, NY 11432
Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:	AGUILAR, OLIVIA	EXAM DATE:	09/03/2022 10:19 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	AGUO75823
DOB:	11/08/1991	REFERRING PHYSICIAN:	Davis, Gordon DO
CLINICAL HISTORY:	NF: RT SHOULDER PAIN DUE TO ACCIDENT	GENDER	F

MAGNETIC RESONANCE IMAGING OF RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Right shoulder pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.



170-10 Cedarcroft Road, Jamaica, NY 11432
Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:	AGUILAR, OLIVIA	EXAM DATE:	09/03/2022 10:19 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	AGUO75823
DOB:	11/08/1991	REFERRING PHYSICIAN:	Davis, Gordon DO
CLINICAL HISTORY:	NF: RT SHOULDER PAIN DUE TO ACCIDENT	GENDER	F

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Partial-thickness undersurface tear of the supraspinatus tendon.
2. Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.
3. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Naiyer
Digitally Signed Date: 09/05/2022 7:38 PM