


Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234 Tel: 718-676-7828 • Fax: 718-676-7829



IDY LIANG, NP-C 5205 CHURCH AVENUE BROOKLYN, NY 11203

PATIENT: CATHERINE LITTLES

DOB: 11/07/1941 DOS: 09/22/2022 CHART #: 4288 EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Sharp shoulder pain, weakness, difficulty lifting the arm up.

TECHNIQUE: Multiplanar MR imaging of the left shoulder was performed without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

FINDINGS: The acromioclavicular and glenohumeral joints are preserved.

There is fluid surrounding the long head of the biceps tendon suggesting tenosynovitis. The supraspinatus, infraspinatus and subscapularis tendons are normal in signal and appearance. There is increased signal and deformity of the inferior aspect of the anterior glenoid labrum suggesting a labral tear.

The posterior glenoid labrum demonstrates no abnormality.

Periarticular soft tissue planes are maintained. No bone marrow edema, bony lesion or fracture. The rotator cuff muscles are normal in signal.

IMPRESSION:

- 1. FINDING SUGGESTING TENOSYNOVITIS OF THE LONG HEAD OF THE BICEPS TENDON.
- 2. TEAR OF THE INFERIOR ASPECT OF THE ANTERIOR GLENOID LABRUM.

Thank you for referring this patient to us.

Guenadi Amoachi, MD Diagnostic Radiologist

Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 09/23/2022 07:53:23