

596 Anderson Avenue * Suite 120 * Cliffside Park, New Jersey 07010 Tel: (201) 945- MRI-7 * Fax: (201) 945-1466

PATIENT NAME:

RAMOS, ANGEL

PATIENT DOB:

11/14/1985

CHART NUMBER:

045335

EXAM DATE:

JUNE 20, 2022

REFERRING PHYSICIAN:

DR. FERSEL, JORDAN

MRI OF THE LEFT SHOULDER

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal image

Findings: The acromioclavicular joint is intact. There is no fracture or edema of the distal clavicle. There is undersurface hypertrophy and low lying acromion process impinging upon the supraspinatus muscle tendon complex.

There is an irregular, frayed appearance to the bursal surface of the distal supraspinatus tendon, an appearance suggestive of partial tear. There is fluid present in the subacromial/subdeltoid bursa. Fluid is collecting in the axillary recess. The inferior glenohumeral ligamentous complex is attenuated and effaced but intact.

The humeral head is normal. There is no fracture or bone marrow edema. The long head of the biceps tendon is normally situated in the bicipital groove.

The anterior and posterior labrum are intact. The visualized musculature is normal in signal intensity.

IMPRESSION:

- 1. ACROMIOCLAVICULAR JOINT HYPERTROPHY AND LOW LYING ACROMION PROCESS IMPINGING UPON THE SUPRASPINATUS MUSCLE TENDON COMPLEX.
- 2. PARTIAL TEAR BURSAL SURFACE DISTAL SUPRASPINATUS TENDON WITH FLUID IN THE SUBSCAPULAR BURSA AND GLENOHUMERAL JOINT WITH AN ATTENUATED AND EFFACED INFERIOR GLENOHUMERAL LIGAMENTOUS COMPLEX.

Thank you for the courtesy of this referral.

**** Electronically Signed ****
Charles DeMarco, M.D.
Diplomate, American Board of Radiology