

596 Anderson Asonne · Suite 120 · Cliffside Park, New Jersey 07010 fel: (201, 945 - MRI 7 · Fax: (201) 945 1466

PATIENT NAME:

DIALLO, AISSATOU

PATIENT DOB:

06/23/1970 044956

CHART NUMBER:

044930 4000 ----

EXAM DATE:

APRIL 26, 2022

REFERRING PHYSICIAN:

DR.KOPACH, ALEKSANDR

MRI OF THE RIGHT SHOULDER

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal images; the study is degraded by motion.

Findings: The acromioclavicular joint is intact. There is fluid present within and surrounding the AC joint. There is no acute fracture.

There is a frayed, irregular appearance to the distal bursal surface of the supraspinatus tendon consistent with partial tear. There is tendinosis of the infraspinatus tendon. The subscapularis tendon is intact. There is fluid present in the subacromial/subdeltoid bursa.

The humeral head is normal. There is no fracture or bone marrow edema. The long head of the biceps tendon is normally situated in the bicipital groove.

The anterior and posterior labrum are intact. The inferior glenohumeral ligamentous complex is intact.

The visualized musculature is normal in signal intensity. There is no subcutaneous mass or abnormal fluid collection.

IMPRESSION:

- 1. INTACT ACROMIOCLAVICULAR JOINT WITH SIGNAL ABNORMALITY WITHIN AND SURROUNDING THE JOINT.
- 2. TENDINOSIS AND PARTIAL TEAR OF THE BURSAL SURFACE OF THE DISTAL SUPRASPINATUS TENDON WITH FLUID IN THE SUBACROMIAL/SUBDELTOID BURSA.

Thank you for the courtesy of this referral.

**** Electronically Signed ****
Charles DeMarco, M.D.
Diplomate, American Board of Radiology