

Westchester Radiology & Imaging, PC

933 Saw Mill River Road

Ardsley, NY 10502

Phone: 914-740-1.88 Fax: 914-478-0303

PATIENT:

VILLAREAL ENILIA

DOB: PHYSICIAN: 02/11/1965 DR. KRAMER

EXAM DATE:

05/17/2022

MRI OF THE RIGHT WRIST

INDICATION: Pain.

TECHNIQUE: Multiple T1 and T2 weighted MRI images of the right wrist were obtained in axial, sagittal and coronal planes without administration of intravenous contrast.

FINDINGS: There are no acute displaced fractures, dislocations, destructive bony lesions or marrow infiltration. The carpal bone alignment is intact without volar or dorsal intercalated segmental instability (VISI/DISI) suggestive of intact scapholunate and lunotriquetral ligaments. The flexor tendons and the median nerve are normal in caliber.

There is a tear of triangular fibrocartilage near the ulnar attachment. The extensor tendon sheaths are mildly distended with fluid, consistent with tenosynovitis. There is fluid in intercarpal and distal radioulnar joints consistent with recent trauma or synovitis, in an appropriate clinical setting. There are several additional subcortical cysts throughout the carpal bones. CT of the wrist is recommended for further evaluation.

IMPRESSION:

- 1. Tear of triangular fibrocartilage near the ulnar attachment.
- 2. Extensor tendon sheaths are mildly distended with fluid, consistent with tenosynovitis.
- 3. Fluid in intercarpal and distal radioulnar joints consistent with recent trauma or synovitis, in an appropriate clinical setting.
- 4. Several additional subcortical cysts throughout the carpal pones. CT of the wrist is recommended for further evaluation.

Stue B. Losik M.D.

Steve B. Losik, M.D. Board Certified Radiologist Electronically Signed