

Community Medical Imaging

ACR Accredited Facility 159-16 Union Tpke • Fresh Meadows, NY 11366 Tel: 718-275-1010 • Fax: 718-591-3300

AJOY K. SINHA, M.D. 79-09 B NORTHERN BLVD JACKSON HEIGHTS, NY 11372

PATIENT: MARLENE DEL PILAR

DOB: 10/31/2009 DOS: 05/02/2022 CHART #: 24425

EXAM: MRI OF THE RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Superior pain.

TECHNIQUE: Multiplanar MR imaging of the right shoulder was performed without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

Additional sanitizing / safety protocols recommended by the CDC were performed.

FINDINGS: Mild tendinosis changes are seen at the supraspinatus and infraspinatus tendons. There is no tear of the supraspinatus or infraspinatus tendons. The teres minor tendon is unremarable.

The subscapularis tendon is unremarkable. There is minimal joint fluid.

There is a type I acromion. There is no impingement. The musculotendinous junction is unremarkable. There is no muscular injury.


There is no fracture. There is no bone bruise. There is no osteochondral defect.

The glenoid is unremarkable. There is no subluxation.

The anterior and posterior labra are intact. The superior labrum and biceps anchor are unremarkable.

There is no biceps tendon tear or tenosynovitis. The transverse humeral ligament is unremarkable.

There is no muscular injury. There is no hematoma or seroma.



Community Medical Imaging

ACR Accredited Facility
159-16 Union Tpke • Fresh Mendows, NY 11366
Tel: 718-275-1010 • Fax: 718-591-3300

PATIENT: MARLENE DEL PILAR

DOB: 10/31/2009 DOS: 05/02/2022 CHART #: 24425

EXAM: MRI OF THE RIGHT SHOULDER WITHOUT CONTRAST

PAGE 2

The upper humerus is unremarkable.

There is no AC separation.

Limited visualization of the chest wall is unremarkable.

There is slight increased T2 signal noted posteriorly at the deltoid musculature. A focal contusion is noted.

IMPRESSION:

- 1. A FOCAL SOFT TISSUE CONTUSION IS NOTED POSTERIORLY AT THE DELTOID MUSCULATURE.
- 2. TENDINOSIS CHANGES ARE SEEN AT THE SUPRASPINATUS AND INFRASPINATUS TENDONS.

Thank you for referring this patient to us.

Andrew McDonnell, MD

Neuroradiologist

Diplomate, American Board of Radiology

AM/man/pr D: 05/02/2022

E-Sig By A. McDonnell, MD on 05/03/2022 06:54:05