



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ESCAMILLA, ELPIDIO	EXAM DATE:	10/10/2022 4:10 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	ESCE75743
DOB:	03/04/1966	REFERRING PHYSICIAN:	Koutsospyros, Demetrios A
CLINICAL HISTORY	PAIN DUE TO ACCIDENT	GENDER	M

MAGNETIC RESONANCE IMAGING OF RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: Subtle bone marrow edema in supero- lateral aspect of humerus at supraspinatus attachment.

ROTATOR CUFF:

SUPRASPINATUS: Mild tendinosis seen in supraspinatus tendon for a length of about 15mm.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ESCAMILLA, ELPIDIO	EXAM DATE:	10/10/2022 4:10 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	ESCE75743
DOB:	03/04/1966	REFERRING PHYSICIAN:	Koutsospyros, Demetrios A
CLINICAL HISTORY	PAIN DUE TO ACCIDENT	GENDER	M

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint arthrosis.

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Subtle bone marrow edema in supero- lateral aspect of humerus at supraspinatus attachment.
2. Mild tendinosis seen in supraspinatus tendon for a length of about 15mm.
3. AC joint arthrosis.

Digitally Signed By: Imam, Naiyer



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ESCAMILLA, ELPIDIO	EXAM DATE:	10/10/2022 4:10 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	ESCE75743
DOB:	03/04/1966	REFERRING PHYSICIAN:	Koutsospyros, Demetrios A
CLINICAL HISTORY	PAIN DUE TO ACCIDENT	GENDER	M

Digitally Signed Date: 10/11/2022 12:10 PM