



**QUEENS RADIOLOGY  
IMAGING PC**  
**DIAGNOSTIC RADIOLOGY**

1575 Hillside Ave, Suite 100  
New Hyde Park, NY 11040  
Tel: 516 962 9544, 516 962 9599  
Cell: 516 549 6963  
Fax: 516 467 3130  
Email: qri.newhydepark@yahoo.com

PATIENT:	WILSON, MARTIN	EXAM DATE:	07/20/2022 3:00 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	WILM70971
DOB:	11/26/1962	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY:	N/F Pain after MVA.	GENDER:	F

**MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST**

**HISTORY:** Pain after motor vehicle accident.

**TECHNIQUE:** Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

**COMPARISON:** None available.

**FINDINGS:**

**OSSEOUS STRUCTURES/MARROW:** Normal marrow signal.

**ROTATOR CUFF:**

**SUPRASPINATUS:** There is an interstitial tear for a length of about 4mm at the attachment of the supraspinatus tendon.

**INFRASPINATUS:** The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

**TERES MINOR:** The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

**SUBSCAPULARIS:** The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

**SUBACROMIAL/SUBDELTOID BURSA:** No fluid in subacromial-subdeltoid bursa to suggest bursitis.

**MUSCLES:** No muscle edema or fatty muscle atrophy.

**AC JOINT:** AC joint arthrosis.

**BICEPS TENDON:** Intact long-head of the biceps tendon.

**LABRUM/LIGAMENTS:** No labral tear or ligament abnormalities.



# QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100  
New Hyde Park, NY 11040  
Tel: 516 962 9544, 516 962 9599  
Cell: 516 549 6963  
Fax: 516 467 3130  
Email: qri.newhydepark@yahoo.com

PATIENT:	WILSON, MARTIN	EXAM DATE:	07/20/2022 3:00 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	WILM70971
DOB:	11/26/1962	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY:	NF Pain after MVA.	GENDER:	F

**CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL:** Rotator interval is normal.

**GLENOHUMERAL CARTILAGE:** Intact articular cartilage.

**SYNOVIUM/JOINT FLUID:** There is a joint effusion.

**NEUROVASCULAR STRUCTURES:** Normal in course and caliber.

**PERIPHERAL SOFT TISSUES:** Normal.

## IMPRESSION:

1. Interstitial tear for a length of about 4 mm at the attachment of the supraspinatus tendon.
2. AC joint arthrosis.
3. Joint effusion.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 07/21/2022 4:43 PM