



## Community Medical Imaging

ACR Accredited Facility  
159-16 Union Tpke • Fresh Meadows, NY 11366  
Tel: 718-275-1010 • Fax: 718-591-3300

---

ISAAC KREIZMAN, M.D.  
79-09 B NORTHERN BLVD.  
JACKSON HEIGHTS, NY 11372

PATIENT: FERNANDO P. GOMES-DACOSTA  
DOB: 04/21/1978  
DOS: 07/07/2022  
CHART #: 25117  
EXAM: MRI OF THE LEFT KNEE WITHOUT CONTRAST

HISTORY: Burning pain, radiation, instability, worse when walking.

COMPARISON: None.

Additional sanitizing / safety protocols recommended by the CDC were performed.

TECHNIQUE: Multiplanar MR imaging of the left knee was performed without contrast on Hitachi open MRI unit.

Coronal PD, T2 and STIR; Sagittal PD and PD fat suppressed; axial T2 and T2 fat suppressed of the knee were obtained.

FINDINGS: There is a mild lateral patellar tilt.

There is a prominent contusion over the patellar tendon. Quadriceps tendon is intact. There is moderate tendinopathy of the proximal patellar tendon. Lateral collateral ligament is unremarkable. There is a grade I to II injury of the medial collateral ligament.

There is no bone bruise or fracture.

PCL is unremarkable. The ACL is intact.

Lateral meniscus is unremarkable. There is a tear of the meniscofemoral ligament. There is extrusion of the mid body of the medial meniscus.

A horizontal tear of the medial meniscus is seen from the anterior horn to the posterior horn. The tear is partially folded.

Reactive changes are seen at the tibial plateau medially.



## Community Medical Imaging

ACR Accredited Facility  
159-16 Union Tpke • Fresh Meadows, NY 11366  
Tel: 718-275-1010 • Fax: 718-591-3300

---

PATIENT: FERNANDO P. GOMES-DACOSTA  
DOB: 04/21/1978  
DOS: 07/07/2022  
CHART #: 25117  
EXAM: MRI OF THE LEFT KNEE WITHOUT CONTRAST  
PAGE 2

### IMPRESSION:

1. A COMPLEX PREDOMINANTLY HORIZONTAL TEAR OF THE MEDIAL MENISCUS IS SEEN FROM THE ANTERIOR HORN TO THE POSTERIOR HORN. ADJACENT REACTION IS SEEN AT THE MEDIAL TIBIAL PLATEAU.
2. THERE IS A GRADE I TO II INJURY OF THE MEDIAL COLLATERAL LIGAMENT.
3. THERE IS A CONTUSION OVER THE PATELLAR TENDON. TENDINOPATHY CHANGES ARE SEEN AT THE PATELLAR TENDON PROXIMALLY.

Thank you for referring this patient to us.

Andrew McDonnell, MD  
Neuroradiologist  
Diplomate, American Board of Radiology  
AM/man/pr D: 07/07/2022

E-Sig By A. McDonnell, MD on 07/08/2022 06:52:54