

Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234 Tel: 718-676-7828 • Fax: 718-676-7829



IDY LIANG, NP-C 5205 CHURCH AVENUE BROOKLYN, NY 11203

PATIENT: KEYANTA LITTLES

DOB: 01/06/1974 DOS: 09/22/2022 CHART #: 4291 EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Shoulder pain, weakness, difficulty lifting the arm up.

TECHNIQUE: Multiplanar MR imaging of the left shoulder was performed without contrast on Hitachi open MRI unit.

Coronal TJ, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

FINDINGS: No bone marrow edema, bony lesion or fracture identified.

There is increased signal in the distal aspect of the supraspinatus tendon suggesting a low-grade non-retracted intrasubstance tear.

The infraspinatus, long head of the biceps and subscapularis tendons are normal in signal and appearance.

There is fluid in the acromic clavicular joint. The glenchumeral joint is preserved.

The glenoid labrum and rotator cuff muscles are normal in signal and appearance.

Periarticular soft tissue planes are maintained.

IMPRESSION:

1. PARTIAL NON-RETRACTED INTRASUBSTANCE TEAR OF THE DISTAL ASPECT OF THE SUPRASPINATUS TENDON.

2. FLUID IN THE ACROMIOCLAVICULAR JOINT.

Thank you for referring this patient to us.

Guenadi Amoachi, MD Diagnostic Radiologist

Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 09/23/2022 07:53:06