DAMADIAN MRI IN CANARSIE, P.C.

2035 Ralph Avenue, Suite A-5, Brooklyn, NY 11234 t 718.209.1070 f 718.209.1138

MOUSTAPHA ZABSONRE

N10114577-CA Report Date: 07/25/2022

DOB:

01/01/1985

Exam Date: 07/23/2022

GORDON DAVIS, DO 1611 EAST NEW YORK AVE BROOKLYN, NY 11212-

MAGNETIC RESONANCE IMAGING OF THE LEFT SHOULDER

TECHNIQUE: Multiplanar, multisequential MRI was performed in the recumbent position.

HISTORY: The patient complains of left shoulder pain, status post MVA, rule out internal derangement.

INTERPRETATION: Trace amount of fluid is seen in the glenohumeral joint.

Distal anterolateral supraspinatus tendinosis/tendinopathy is present.

There is convex inferior hypertrophic change in the acromioclavicular joint abutting the supraspinatus. A laterally and distally anteriorly down sloping acromion abuts the supraspinatus.

Distal anterolateral subscapularis tendinosis/tendinopathy is seen.

Examination otherwise demonstrates the osseous structures of the shoulder to be otherwise unremarkable in signal and morphology. Muscular and tendinous structures including remaining portions of the rotator cuff are also felt to remain otherwise unremarkable in signal and morphology. The glenoid labrum and bicipital tendon otherwise appear unremarkable in position and morphology.

IMPRESSION:

- Trace amount of fluid in the glenohumeral joint.
- Distal anterolateral supraspinatus tendinosis/tendinopathy.
- Convex inferior hypertrophic change in the acromioclavicular joint abutting the supraspinatus.

MOUSTAPHA ZABSONRE

N10114577

Exam Date:

07/23/2022

pg 3 of 3

Page 2 of 2 SHOULDER LEFTMRI 73221

- Laterally and distally anteriorly down sloping acromion abuts the supraspinatus.
- Distal anterolateral subscapularis tendinosis/tendinopathy.

Thank you for referring your patient to us for evaluation.

Sincerely,

Robert Diamond, M.D.

Diplomate of the American Board of Radiology

RD/BC