



To: Davis, Gordon
Exam: MRI LEFT SHOULDER
Exam Date: 06/09/2022 10:22 AM
Accession: 25468

Patient Name: Palma, Manuel
DOB: 11/27/1957
Gender: M
MRN: PalM5496

LEFT SHOULDER MRI WITHOUT CONTRAST

HISTORY: Left shoulder pain status post motor vehicle accident

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

ROTATOR CUFF: There is a high-grade partial tear at the attachment of the infraspinatus tendon with interstitial and articular surface components. There are additional interstitial tears at the attachments of the supraspinatus and subscapularis tendons. There is background of supraspinatus, infraspinatus, and subscapularis tendinitis. The teres minor tendon is intact.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: There is moderate acromial clavicular joint disease. There is anterior downsloping of the acromion likely contributing to rotator cuff impingement. There is subdeltoid/subacromial bursal edema indicative of bursitis.

BICEPS TENDON: There is a partial tear of the intra-articular long head of the biceps tendon which appears attenuated.

LABRUM/LIGAMENTS: There is a tear of the anterior superior to posterior superior glenoid labrum (SLAP tear) with a partial tear of the biceps labral anchor complex.

GLENOHUMERAL CARTILAGE: There are no discrete articular surface defects.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

MARROW: Normal marrow signal. There is enthesopathic subcortical fibrocystic change of the greater tuberosity of the humerus.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:



HIGHLINE
RADIOLOGY

Highline Radiology

138-21 Queens Blvd.

Briarwood, NY 11435

Tel: 718-480-1250 Fax: 718-480-6720

To: Davis, Gordon
Exam: MRI LEFT SHOULDER
Exam Date: 06/09/2022 10:22 AM
Accession: 25468

Patient Name: Palma, Manuel
DOB: 11/27/1957
Gender: M
MRN: PalM5496

High-grade partial tear at the attachment of the infraspinatus tendon with interstitial and articular surface components. Additional interstitial tears at the attachments of the supraspinatus and subscapularis tendons. Background of supraspinatus, infraspinatus, and subscapularis tendinitis. Associated subdeltoid/subacromial bursal edema indicative of bursitis.

Anterior downsloping of the acromion contributing to rotator cuff impingement. Moderate acromioclavicular joint disease.

Tear of the anterior superior to posterior superior glenoid labrum (SLAP tear) with a partial tear of the biceps labral anchor complex. Additional partial tear of the intra-articular long head of the biceps tendon.

Electronically Signed by: Borukhov, David MD on 06/10/2022 11:27 AM