

119-137 Clifford Street • Newark, New Jersey, 07105
Tel: (973) 508-1400 • Fax: (973) 522-2009

PATIENT:

TOMAS GONZALEZ, SERGIO

FILE#:

042336

DOB: DOS: 02/06/1978 06/21/2022

PHYSICIAN:

DR. KOPACH, ALEKSANDR

MRI OF THE LEFT SHOULDER

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal images

Findings: The acromioclavicular joint is intact. There is no fracture or edema of the distal clavicle.

There is tendinosis and partial tear of the distal supraspinatus tendon. The infraspinatus tendon and subscapularis tendon are intact. There is fluid present in the subacromial/subdeltoid bursa.

The humeral head is normal. There is no fracture or bone marrow edema. The long head of the biceps tendon is normally situated in the bicipital groove and surrounded by fluid.

The anterior and posterior labrum are intact. The inferior glenohumeral ligamentous complex is intact.

The visualized musculature is normal in signal intensity. There is no subcutaneous mass or abnormal fluid collection.

IMPRESSION:

- $1.\ \mbox{INTACT}$ ACROMIOCLAVICULAR JOINT. NO FRACTURES OR EDEMA OF THE DISTAL CLAVICLE.
- 2. TENDINOSIS AN PARTIAL TEAR OF THE SUPRASPINATUS TENDON WITH FLUID IN THE SUBACROMIAL/SUBDELTOID BURSA.
- 3. BICEPS TENDINOSIS. NO FRACTURES OR ACUTE LABRAL TEAR.

Thank you for the courtesy of this referral.

**** Electronically Signed ****

Charles DeMarco, M.D.

Diplomate, American Board of Radiology