

STAR MEDICAL IMAGING PC

141 E. Merrick Road Valley Stream, NY, 11580
Phone:(516) 604-0707 Fax:(516) 399-1100

PATIENT NAME: JUSTIN DE LA ROSA
REFERRING PHYSICIAN: PHYLLIS GELB
SERVICE: MRI LEFT ANKLE
DATE OF SERVICE: 03/21/2022

MRI SCAN OF THE LEFT ANKLE

CLINICAL HISTORY: Pain.

Routine non-contrast MRI images of the left ankle were obtained. Prior imaging correlation is not available.

There is ankle joint fluid compatible with synovitis. The ankle mortise and subtalar joint are intact. There is no evidence of fracture, dislocation, or bone marrow abnormalities to be suspicious for bone contusion, stress fractures, or acute trabecular microfractures.

There is swelling and increased signal in the peroneus brevis tendon at the fibular tip and distally for approximately 15mm. The peroneus brevis tendon is otherwise intact. There is no evidence of retraction or laxity. The finding is compatible with a sprain/interstitial tear of this structure. In addition, there is increased signal around the myotendinous peroneus brevis compatible with associated tendonopathy/tenosynovitis.


The ATFL, CFL, deltoid ligament, and the remaining visualized ligamentous and tendinous structures and the plantar fascia are otherwise intact. The muscle, fat, and fascial planes are well maintained.

IMPRESSION:

FINDINGS COMPATIBLE WITH SPRAIN/INTERSTITIAL TEAR OF THE PERONEUS BREVIS TENDON WITH ASSOCIATED TENDONOPATHY/TENOSYNOVITIS AS DISCUSSED IN THE BODY OF THE REPORT.

PRESENCE OF ANKLE JOINT FLUID COMPATIBLE WITH SYNOVITIS.

Thank you for the courtesy of this consultation.



John Lyons, M.D.

Radiologist