

UK Sinha Physician, P.C.

102-31 Jamaica Ave.
Richmond Hill, NY 11418
Ph: 718-480-1130 Fax: 718-480-1132

September 27, 2022

Office seen at:

Merrick Medical PC
243-51 Merrick Blvd
Rosedale, NY 11422
Phone# (718) 413-5499

Re: Higgins, Bridget
DOB: 02/23/1986
DOA: 07/24/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder, right knee, left knee, neck, and low-back pain.

HISTORY OF PRESENT ILLNESS: A 36-year-old right-hand dominant female involved in a motor vehicle accident on 07/24/2022. The patient was a rear passenger and was wearing a seatbelt. The vehicle was struck on the rear driver side and T-boned on the passenger's side. The airbags deployed. The EMS arrived on the scene. The police were called to the scene of the accident. The patient was transported via ambulance to North Shore Long Island Jewish Health System and was treated and released the same day. The patient presents today complaining of left shoulder, right knee, left knee, neck, and low-back pain sustained in the motor vehicle accident. The patient was attending physical therapy 3-4 times a week with little relief.

WORK HISTORY: The patient is currently working full time as a secretary in a hospital.

PAST MEDICAL HISTORY: Noncontributory. There is no previous history of trauma.

PAST SURGICAL HISTORY: Pre-diabetes.

DRUG ALLERGIES: MORPHINE.

MEDICATIONS: The patient is taking Naprosyn.

SOCIAL HISTORY: The patient is a nonsmoker. The patient drinks alcohol occasionally. The patient does not use recreational drugs.

ADL CAPABILITIES: The patient states that she can walk for 2 blocks. She can stand for 1/2 hour before she has to sit. She can sit for 2 hours before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that she is

unable to do the following activities: garden, play sports, driving, lifting heavy objects, childcare, carrying heavy objects, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 8/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, and clicking. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain.

Right knee: Right knee pain is 9/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has no difficulty rising from a chair and has no difficulty going up and down stairs. The patient also notes clicking, popping, buckling, and intermittent locking.

Left knee: Left knee pain is 5-6/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes popping and buckling.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

GU: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 8 inches, weight is 265 pounds, and BMI is 40.3. The left shoulder reveals tenderness to palpation over supraspinatus tendon region and proximal biceps tendon. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 160/180 degrees, adduction 40/45 degrees, forward flexion 165/180 degrees, extension 50/60 degrees, internal rotation 80/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

The right knee reveals tenderness along the medial joint line and superior pole of patella. There is swelling appreciated. There is no heat, erythema, crepitus or deformity appreciated.

Positive McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 115/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

The left knee reveals tenderness along the superior pole of patella and inferior pole of the patella. There is swelling appreciated. There is no heat, erythema, crepitus or deformity appreciated. Negative McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 120/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the left lower extremity.

DIAGNOSTIC TESTING: MRI of the right knee, done on 08/30/2022, shows bone marrow edema at the distal femur and patella representing trauma sequence. Edema seen in the intercondylar notch and the ACL is not seen with representing horizontal testing at the posterior horn of the medial meniscus extending to the superior articular surface. Patella tendon peritendinitis. Pre-patella and Hoffa's fat pad edema. MRI of the left knee, done on 08/30/2022, shows edema in the intercondylar notch with no ACL fibers probably representing a tear from trauma. Bone marrow edema at the distal femur probably from underlying trauma sequela. Patella peritendinitis. Increased signal in Hoffa's fat pad and prepatellar.

ASSESSMENT:

1. M24.812 Internal derangement, left shoulder.
2. M75.42 Impingement, left shoulder.
3. M25.512 Pain, left shoulder.
4. S49.92XA Injury, left shoulder.
5. S83.241A Medial meniscus tear, right knee.
6. M23.91 Internal derangement, right knee.
7. M25.461 Joint effusion, right knee.
8. M12.569 Traumatic arthropathy, right knee.
9. S80.911A Injury, right knee.
10. M25.561 Pain, right knee.
11. M23.92 Internal derangement, left knee.
12. S83.519A Anterior cruciate ligament tear, left knee.
13. M25.462 Joint effusion, left knee.
14. M12.569 Traumatic arthropathy, left knee.
15. S80.912A Injury, left knee.
16. M25.562 Pain, left knee.


PLAN:

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for left shoulder, right knee, and left knee.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for left shoulder, right knee, and left knee 3 days/week.

6. The patient is waiting for MRI of right shoulder and left shoulder.
7. Discussed right knee arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
10. All the benefits and risks of the right knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
11. All the questions in regard to the procedure were answered.
12. The patient verbally consents for the arthroscopy of right knee and the patient will be scheduled for right knee surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
13. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

CAUSALITY: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.



U.K. Sinha, MD, MS (Ortho), FAAOS
Board Certified Orthopedic Surgeon
UKS/AEI