



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	BROWN,JOHNATHAN	EXAM DATE:	07/09/2022 12:00 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	BROJ71187
DOB:	05/25/1992	REFERRING PHYSICIAN:	Jurkowich, Michael
CLINICAL HISTORY:	N/FLEFT SHOULDER Pain after MVA.	GENDER:	M

LEFT SHOULDER MRI WITHOUT CONTRAST

HISTORY: Left shoulder pain status post motor vehicle accident

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None

OSSEOUS STRUCTURES/ MARROW there is no bone marrow edema fracture or dislocation. There is no osteonecrosis

ROTATOR CUFF

Supraspinatus: There is increased intrasubstance signal at the anterior leading edge indicating tendinopathy. There is no tears noted.

Infraspinatus: Muscles and tendons are intact

Teres minor: Muscles and tendons are intact

Subscapularis: Muscles and tendons are intact

MUSCLES: No muscle edema or fatty atrophy

AC JOINT : AC joint is normal. There is a type III acromion with supraspinatus outlet obstruction. There is fluid in the subacromial subdeltoid bursa representing bursitis

BICEPS TENDON: Long head biceps tendon is normal and within the bicipital groove

LABRUM/LIGAMENTS: Labrum and ligaments are intact



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	BROWN,JOHNATHAN	EXAM DATE:	07/09/2022 12:00 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	BROJ71187
DOB:	05/25/1992	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY:	N/FLEFT SHOULDER Pain after MVA.	GENDER:	M

GLENOHUMERAL CARTILAGE: Cartilage is intact with no joint effusion

SYNOVIUM/JOINT FLUID: No synovial hypertrophy or joint effusion

NEUROVASCULAR STRUCTURES: Normal caliber and course

PERIPHERAL SOFT TISSUES: No soft tissue edema

IMPRESSION:

1. increased intrasubstance signal at the anterior leading edge indicating tendinopathy.
2. type III acromion with supraspinatus outlet obstruction. There is fluid in the subacromial subdeltoid bursa representing bursitis

Digitally Signed By: Izzo, Joseph

Digitally Signed Date: 07/11/2022 2:00 PM