



To: Davis, Gordon  
Exam: MRI LEFT SHOULDER  
Exam Date: 08/05/2022 11:08 AM  
Accession: 29695

Patient Name: Celisca, Jean  
DOB: 04/03/1977  
Gender: M  
MRN: CelJ6451

**LEFT SHOULDER MRI WITHOUT CONTRAST**

**HISTORY:** Left shoulder pain status post motor vehicle accident

**TECHNIQUE:** Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

**COMPARISON:** None available.

**FINDINGS:**

**ROTATOR CUFF:** There is linear interstitial tearing of the distal infraspinatus tendon superimposed on infraspinatus and supraspinatus tendinitis. The subscapularis and teres minor tendons are intact. There is subdeltoid/subacromial bursal thickening and edema indicative of bursitis.

**MUSCLES:** No muscle edema or fatty muscle atrophy.

**AC JOINT:** There is thickening of the acromioclavicular joint capsule and anteriorly curved acromion which result in rotator cuff impingement.

**BICEPS TENDON:** Intact long head of the biceps tendon.

**LABRUM/LIGAMENTS:** There is a 5 x 4 mm paralabral cyst adjacent to the posterior superior glenoid labrum with suspected tearing of the labrum in this region. This is best seen on image 9 of the coronal PD fat saturated series 5 and image 7 mild the axial oblique series 4.

**GLENOHUMERAL CARTILAGE:** Intact articular cartilage.

**SYNOVIUM/JOINT FLUID:** No joint effusion or synovial thickening.

**MARROW:** Normal marrow signal.

**NEUROVASCULAR STRUCTURES:** Normal in course and caliber.

**PERIPHERAL SOFT TISSUES:** Normal.

**IMPRESSION:**

Linear interstitial tearing of distal infraspinatus tendon superimposed on infraspinatus and



**HIGHLINE**  
RADIOLOGY

**Highline Radiology**

138-21 Queens Blvd.  
Briarwood, NY 11435

Tel: 718-480-1250 Fax: 718-480-6720

To: Davis, Gordon  
Exam: MRI LEFT SHOULDER  
Exam Date: 08/05/2022 11:08 AM  
Accession: 29695

Patient Name: Celisca, Jean  
DOB: 04/03/1977  
Gender: M  
MRN: CelJ6451

supraspinatus tendinitis. Associated subdeltoid/subacromial bursitis. Evidence of rotator cuff impingement secondary to thickening of the acromioclavicular joint capsule and anteriorly curved acromion.

A 5 x 4 mm paralabral cyst adjacent to the posterior superior glenoid labrum with suspected tearing of the labrum in this region.

Electronically Signed by: Borukhov, David MD on 08/05/2022 1:47 PM