




Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234
Tel: 718-676-7828 • Fax: 718-676-7829



DENNY X. RODRIGUEZ, M.D.
4720 AVENUE N
BROOKLYN, NY 11234

PATIENT: JENNIFER LAGUERRE
DOB: 10/26/1976 DOS: 06/01/2022 CHART #: 4099
EXAM: MRI OF THE LEFT KNEE WITHOUT CONTRAST

HISTORY: Knee pain, more prominent along the anterior and medial aspect.

TECHNIQUE: Multiplanar MR imaging of the left knee was performed without contrast on Hitachi open MRI unit.

Coronal PD, T2 and STIR; sagittal PD and PD fat suppressed; axial T2 and T2 fat suppressed images of the knee were obtained.

COMPARISON: None.

FINDINGS: No bone marrow edema, bony lesion or fracture identified.

There is small joint effusion.

Increased signal is noted in the distal aspect of the quadriceps tendon suggesting tendinosis.

There is increased signal in the posterior horn of the medial meniscus extending to the periphery suggesting a peripheral meniscal tear.

The anterior horn of the medial meniscus, lateral meniscus, anterior and posterior cruciate ligaments are normal in signal and appearance.

The collateral ligaments and quadriceps tendons are preserved.

There is soft tissue edema along the medial and anterior aspect of the knee joint.

IMPRESSION:

1. PERIPHERAL TEAR OF THE POSTERIOR HORN OF THE MEDIAL MENISCUS.
2. TENDINOSIS OF THE DISTAL ASPECT OF THE QUADRICEPS TENDON.

Stok



Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234
Tel: 718-676-7828 • Fax: 718-676-7829



PATIENT: JENNIFER LAGUERRE
DOB: 10/26/1976 DOS: 06/01/2022 CHART #: 4099
EXAM: MRI OF THE LEFT KNEE WITHOUT CONTRAST
PAGE 2

3. SOFT TISSUE EDEMA ALONG THE MEDIAL AND ANTERIOR ASPECT OF THE KNEE JOINT.

Thank you for referring this patient to us.

G. Amoachi

Guenadi Amoachi, MD
Diagnostic Radiologist
Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 06/02/2022 07:50:15