



## Community Medical Imaging

ACR Accredited Facility  
159-16 Union Tpke • Fresh Meadows, NY 11366  
Tel: 718-275-1010 • Fax: 718-591-3300

ISAAC KREIZMAN, M.D.  
79-09 B NORTHERN BLVD.  
JACKSON HEIGHTS, NY 11372

PATIENT: AGUSTIN SANTANA

DOB: 01/15/1962

DOS: 01/05/2022

CHART #: 24252

EXAM: MRI OF THE RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Frontal pain.

TECHNIQUE: Multiplanar MR imaging of the right shoulder was performed without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

Additional sanitizing / safety protocols recommended by the CDC were performed.

FINDINGS: Mild tendinitis changes are seen at the supraspinatus and infraspinatus tendons. An articular surface tear is seen anteriorly at the supraspinatus tendon seen on image #10 of series #5.

The subscapularis and teres minor tendons are intact.

The subchondral cysts are seen anteromedially at the humeral head.

There is type I acromion. There is no impingement or lateral downsloping.

There is no fracture or bone bruise.

The glenoid is unremarkable. There is no subluxation. Morphology of the humeral head is unremarkable.

The anterior and posterior labra are intact. There is no attenuation. The superior labrum and biceps anchor are unremarkable.

There is no biceps tendon tear or tenosynovitis. There is no laxity or tear of the transverse humeral ligament.

The upper humerus is unremarkable.



## Community Medical Imaging

ACR Accredited Facility  
159-16 Union Tpke • Fresh Meadows, NY 11366  
Tel: 718-275-1010 • Fax: 718-591-3300

PATIENT: AGUSTIN SANTANA  
DOB: 01/15/1962  
DOS: 01/05/2022  
CHART #: 24252  
EXAM: MRI OF THE RIGHT SHOULDER WITHOUT CONTRAST  
PAGE 2

There is no muscular injury. There is no hematoma or seroma.

There is no AC separation or fracture. Chest wall is unremarkable.

### IMPRESSION:

1. AN ARTICULAR SURFACE TEAR IS NOTED ANTERIORLY AT THE SUPRASPINATUS TENDON, AS DESCRIBED.
2. MILD TENDINITIS CHANGES ARE SEEN AT THE SUPRASPINATUS AND INFRASPINATUS TENDONS.
3. SMALL-TO-MODERATE JOINT EFFUSION IS SEEN WITHOUT EVIDENCE OF A LOOSE BODY.

Thank you for referring this patient to us.

Andrew McDonnell, MD  
Neuroradiologist  
Diplomate, American Board of Radiology  
AM/man/pr D: 01/05/2022

E-Sig By A. McDonnell, MD on 01/06/2022 06:56:27