

5.96 Anderson Assine . Suite 120 . Cliffside Park, New Jursey 07010. Fel: (201: 945 - MRU 7 . Fax: (201) 945 1466

PATIENT NAME:

POWELL, KADEEM TROY

PATIENT DOB: CHART NUMBER: 09/21/1995 045269

EXAM DATE:

JUNE 27, 2022

REFERRING PHYSICIAN:

DR.KOPACH, ALEKSANDR

MRI OF THE LEFT KNEE

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal images

Findings: The anterior and posterior horns of the medial and lateral menisci are normal in configuration. There is no acute medial or lateral meniscal tear. The cartilaginous surfaces in the weight bearing aspects of the knee are intact.

There is partial tear of the anterior cruciate ligament with intraarticular joint fluid. The posterior cruciate ligament is normal. The medial and lateral collateral ligaments are intact. There is a sprain or partial tear of the medial collateral ligament.

The quadriceps tendon and patellar tendons are normal. The medial and lateral patellar facets demonstrate normal cartilaginous thickness and retinacular attachments. There is a suprapatellar effusion. There is no patellar fracture or dislocation.

Normal marrow signal is present in the femoral condyles and the tibial plateau. There is no fracture, contusion, or osteochondral lesion.

The popliteus tendon is intact. The gastrocnemius muscles are normal in signal intensity.

The popliteal fossa is unremarkable.

IMPRESSION:

- 1. PARTIAL TEAR OF THE ANTERIOR CRUCIATE LIGAMENT WITH INTRAARTICULAR JOINT EFFUSION.
- 2. SPRAIN OR PARTIAL TEAR OF THE MEDIAL COLLATERAL LIGAMENT.
- 3. SUPRAPATELLAR EFFUSION.

Thank you for the courtesy of this referral.

**** Electronically Signed ****

Charles DeMarco, M.D.

Diplomate, American Board of Radiology