

## The Carlo case of the second of the CHIFfside Park, New park y 0.7516. The CHIFF of the National Automotive Park (201) 945 for the C

PATIENT NAME:

DANOWSKY, TIFFANY

PATIENT DOB:

08/15/1984

CHART NUMBER: EXAM DATE: 045093 MAY 25, 2022

REFERRING PHYSICIAN:

DR.KOPACH, ALEKSANDR

## MRI OF THE RIGHT SHOULDER

Clinical History: Pain; s/p injury.

Protocol: T1 and T2 axial and sagittal images

**Findings**: The acromioclavicular joint is intact. There is no fracture or edema of the distal clavicle. There is a down sloping acromion process and undersurface hypertrophy impinging upon the supraspinatus muscle tendon complex.

There is tendinosis and high grade, almost complete tear of the distal supraspinatus tendon with fluid in the subacromial/subdeltoid bursa. The infraspinatus tendon and subscapularis tendon are intact.

The humeral head is normal. There is no fracture or bone marrow edema. The long head of the biceps tendon is normally situated in the bicipital groove and surrounded by fluid. There is also fluid surrounding the subscapular bursa.

The anterior and posterior labrum are intact. The inferior glenohumeral ligamentous complex is intact.

The visualized musculature is normal in signal intensity. There is no subcutaneous mass or abnormal fluid collection.

## IMPRESSION:

- 1. INTACT ACROMIOCLAVICULAR JOINT WITH DOWN SLOPING ACROMION PROCESS AND UNDERSURFACE HYPERTROPHY IMPINGING UPON THE MYOTENDINOUS JUNCTION.
  2. HIGH GRADE PARTIAL TEAR OF THE DISTAL SUPRASPINATUS TENDON, MAINLY INVOLVING THE BURSAL SURFACE, WITH FLUID DISTENDING THE SUBACROMIAL/SUBDELTOID BURSA, SUBSCAPULAR BURSA, AND THE GLENOHUMERAL JOINT.
- 3. BICEPS TENDINOSIS, NO FRACTURES OR ACUTE LABRAL TEAR.

Thank you for the courtesy of this referral.

\*\*\*\* Electronically Signed \*\*\*\*
Charles DeMarco, M.D.
Diplomate, American Board of Radiology