


Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234 Tel: 718-676-7828 • Fax: 718-676-7829



UPENDRA SINHA, M.D. 1314 CONEY ISLAND AVENUE BROOKLYN, NY 11230

PATIENT: GIORGI VACHNADZE

DOB: 06/08/1979 DOS: 11/03/2021 CHART #: 3708 EXAM: MRI OF THE RIGHT KNEE WITHOUT CONTRAST

HISTORY: Knee pain, weakness.

TECHNIQUE: Multiplanar MR imaging of the right knee was performed without contrast on Hitachi open MRI unit.

Coronal PD, T2 and STIR; sagittal PD and PD fat suppressed; axial T2 and T2 fat suppressed images of the knee were obtained.

COMPARISON: None.

FINDINGS: No bone Marrow edema, bony lesion or fracture identified.

There is linear increased signal in the posterior horn of the medial meniscus with extension to the tibial articular surface suggesting an oblique meniscal tear.

The anterior horn of the medial meniscus, lateral meniscus, anterior cruciate ligament are normal in signal and appearance.

There is increased signal in the inferior aspect of the posterior cruciate ligament suggesting tendinosis.

The collateral ligaments, quadriceps and patellar tendons are preserved.

Periarticular soft tissue planes are maintained.

IMPRESSION:

6 Amoach

- 1. OBLIQUE TEAR OF THE POSTERIOR HORN OF THE MEDIAL MENISCUS WITH EXTENSION TO THE TIBIAL ARTICULAR SURFACE.
- 2. TENDINOSIS OF THE INFERIOR ASPECT OF THE POSTERIOR CRUCIATE LIGAMENT.

Thank you for referring this patient to us.

Guenadi Amoachi, MD

Diagnostic Radiologist

Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 11/04/2021 06:52:47