SKY RADIOLOGY

PATIENT NAME

THEN, FRANKLYN

D.O.B.

03/25/1995

PATIENT #

689

DATE OF SERVICE

06/14/2022

REF. PHYSICIAN

RYBSTEIN, MARC MD

MRI OF THE LEFT HIP WITHOUT CONTRAST

INDICATION: Left hip pain

TECHNIQUE: T1, T2, and STIR weighted sequences were obtained.

FINDINGS:

Patchy edema in the left proximal superior pubic ramus without a well-defined fracture line, which is concerning for posttraumatic contusion versus stress type marrow changes. Remainder of the osseous structures reveal grossly normal marrow signal intensity. The hip joint spaces are preserved. No significant effusion. Normal articular cartilage. Normal pubic symphysis. Normal lumbar spine. Normal sacroiliac joints. No erosive change.

Intact labrum. The gluteal tendons are intact. Mild trochanteric bursitis is present. The iliopsoas, rectus femoris, and hamstring tendons are intact. No muscle edema. No joint effusion. The visualized sciatic nerve is normal in size and signal. No soft tissue abnormality of the pelvis.

IMPRESSION:

- 1. Patchy edema in the proximal left superior pubic ramus that is concerning for posttraumatic contusion versus stress type edema. No well-defined fracture line.
- 2. Mild trochanteric bursitis.

Thank you for this kind referral of this patient.

BY ROLLYMO

B.V. Reddy M.D. Diagnostic Radiologist and Nuclear Medicine Physician Diplomat of ABNM and ABR MRI and Breast Imaging Specialist

SKY RADIOLOGY P.C. 210-12 NORTHERN BLVD, BAYSIDE , NY 11361 * TEL 718-224-8800 * FAX 718-224-8822