

# Algebra Qualifying Exams

Rutgers - the State University of New Jersey

Syllabus

Nilava Metya

## Contents

<b>Spring 2023</b>	<b>2</b>
<b>Fall 2022</b>	<b>3</b>
<b>Spring 2022</b>	<b>4</b>
<b>Fall 2021</b>	<b>5</b>

## Spring 2023

### Groups

Classify all groups of order 309, up to isomorphism.

### Groups

Let  $A$  be the abelian group with generators  $x, y, z$  and the relations

$$4x + 3y + z = 0, x + 2y + 3z = 0, 3x + 2y + 5z = 0$$

Show that  $A$  is a cyclic abelian group, and determine its order.

### Linear Algebra

Let  $A$  be a complex  $n \times n$  matrix. Prove that there is an invertible complex  $n \times n$  matrix  $B$  such that  $AB = BA^t$ . ( $A^t$  is the transpose of  $A$ .)

### Rings

Prove that the subring  $\mathbb{Z}[3i]$  of  $\mathbb{C}$  is not a Principal Ideal Domain.

### Rings

If  $R = \mathbb{Z}[x]$ , show that the sequence  $R \xrightarrow{f} R^2 \xrightarrow{g} R$  is exact, where  $f(a) = (ax, -2a)$  and  $g(c, d) = 2c + dx$ .

## Fall 2022

### Groups

Let  $G$  be a finite simple group. Prove that  $G \times G$  has exactly 4 normal subgroups (including  $G \times G$ ) if and only if  $G$  is non-abelian.

### Rings

Let  $R$  be a principal ideal domain and  $I, J$  be ideals of  $R$ . Show that  $I \cap J = IJ$  holds if and only if  $I = 0$  or  $J = 0$  or  $I + J = R$ .

### Linear Algebra

Let  $A \in M_n(\mathbb{R})$  be a symmetric matrix with real coefficients. Show that all eigenvalues of  $A$  are non-negative if and only if  $A = P^T P$  for some matrix  $P \in M_n(\mathbb{R})$ .

### Rings

Let  $R$  be an integral domain and  $R[x, y, z]$  the polynomial ring in three variables over  $R$ . Show that  $I = \langle x^3, y^2, y^3 - z^2 y \rangle \subseteq R[x, y, z]$  is a prime ideal.  
Hint: Show that  $I$  is the kernel of a ring homomorphism  $R[x, y, z] \rightarrow R[t]$ .

### Linear Algebra

Let  $A$  and  $B$  be commuting complex matrices. Assume that  $B \notin \mathbb{C}[A]$ , that is,  $B$  cannot be written as a polynomial in  $A$ . Show that some eigenspace of  $A$  has dimension at least two.

## Spring 2022

### Rings

Prove that the rings  $\mathbb{Q}[x]/(x^2 - 1)$  and  $\mathbb{Q} \oplus \mathbb{Q}$  are isomorphic.

### Groups

Let  $p$  be a prime. Show that any element of order  $p$  in  $\text{GL}_2(\mathbb{Z}/p\mathbb{Z})$  can be conjugated to the matrix  $\begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}$

### Fields

Let  $a$  and  $b$  be elements of a field of order  $2^n$  where  $n$  is odd. Prove that if  $a^2 + ab + b^2 = 0$  then  $a = b = 0$ .

### Linear Algebra

Let  $A, B$  be linear operators on a nonzero finite-dimensional vector space  $V$  over  $\mathbb{C}$  such that  $A^2 = B^2 = \text{Id}$ . Prove that there exists a nonzero subspace  $W$  of  $V$  which is invariant under  $A$  and  $B$  and  $\dim W \leq 2$ .

### Linear Algebra

Let  $A$  be a complex  $n \times n$  matrix. Let  $a_k$  denote the dimension of the null space of  $A^k$  (in particular,  $a_0 = 0$ ). Prove that  $a_k + a_{k+2} \leq 2a_{k+1}$  for all  $k \geq 0$ .

## Fall 2021

### Groups

Let  $G$  be a group and  $Z(G)$  the center of  $G$ . Show that the group  $G/Z(G)$  does not have prime order. Find a group  $G$  such that  $G/Z(G)$  has 4 elements.

### Rings

Show that every prime ideal  $P$  in  $\mathbb{Z}[x]$  which is not principal contains a prime number.

### Groups

Show that every finite noncyclic group is a finite union of proper subgroups, and that if a group maps surjectively to a finite noncyclic group then it is a finite union of proper subgroups and use this to determine for which positive integers the product of  $n$  copies of the integers is a finite union of proper subgroups.

### Linear Algebra

Let  $A$  and  $B$  be two square matrices over a field  $F$ . Suppose  $\text{diag}(A, A)$  and  $\text{diag}(B, B)$  are similar. Show that  $A$  and  $B$  are similar.

### Groups

- (a) Suppose that  $p$  and  $q$  are distinct primes and a group  $G$  is generated by elements of order  $p$  and also by elements of order  $q$ . Show that any homomorphism of  $G$  to an abelian group is trivial.
- (b) Show that for  $n \geq 5$  the alternating group  $A_n$  of even permutations of  $n$  objects is generated by elements of order 2, and also by elements of order 3, so that for such  $n$  the only homomorphisms to abelian groups are trivial.