

Name: - Nandkishor Desai

Program Name: - StringApi

```
public class Employee {
    int id; String
    name; int age;
    String gender;
    String department;
    double salary;
    public int getId() {
        return id;
    }
    public void setId(int id) {
        this.id = id;
    }
    public String getName() {
        return name;
    }
    public void setName(String name) {
        this.name = name;
    }
    public int getAge() {
        return age;
    }
    public void setAge(int age) {
        this.age = age;
    }
    public String getGender() {
        return gender;
    }
    public void setGender(String gender) {
        this.gender = gender;
    }
    public String getDepartment() {
        return department;
    }
    public void setDepartment(String department) {
        this.department = department;
    }
    public double getSalary() {
        return salary;
    }
    public void setSalary(double salary) {
        this.salary = salary;
    }
    public Employee(int id, String name, int age, String gender, String
department, double salary) {
        super();
        this.id = id;
        this.name = name;
        this.age = age;
        this.gender = gender;
        this.department = department;
        this.salary = salary;
    }
    @Override
    public String toString() {
        return "Employee [id=" + id + ", name=" + name + ", age=" + age + ",
gender=" + gender + ", department="
        + department + ", salary=" + salary + "];"
    }
}
```

```
}
```

---

```
import java.text.Collator;
```

```
import java.util.ArrayList;
```

```
import java.util.Collection;
```

```
import java.util.Collections;
```

```
import java.util.List;
```

```
import java.util.Map;
```

```
import java.util.stream.Collectors;
```

```
import java.util.stream.Collectors;
```

```
public class ListOfEmployees {
```

```
    public static void main(String[] args) {
```

```
        List<Employee> emp= new ArrayList<Employee>();
```

```
        emp.add(new Employee(101, "Atul", 22, "male", "mechanical", 50000.56));
```

```
        emp.add(new Employee(102, "Arvind", 23, "male", "civil", 4500.5154));
```

```
        emp.add(new Employee(103, "Mrunal", 21, "female", "mechanical", 84054.545));
```

```
        emp.add(new Employee(104, "Gaytri", 20, "female", "electrical", 2500.2525));
```

```
        emp.add(new Employee(105, "Amol", 52, "male", "computer", 45574.255));
```

```
        emp.add(new Employee(210, "Sanket", 65, "male", "HR", 4582.526));
```

```
        emp.add(new Employee(65, "Shrinkant", 35, "male", "ADV", 85000.52));
```

```
        emp.add(new Employee(405, "Ranjana", 25, "female", "Techer", 36000.25));
```

```
    //how many male and female employ are there in the organization
```

```
        /*Map<String, Long> noOfMaleAndFemaleEmployees=
```

```
        emp.stream().collect(Collectors.groupingBy(Employee::getGender, Collectors.counting()));
```

```
        System.out.println(noOfMaleAndFemaleEmployees);*/
```

```
    //print the name of all departments in the organization
```

```
        emp.stream().map(Employee::getDepartment).distinct().forEach(System.out::println);
```

```
    //Ayerage age of male and female
```

```

/*Map<String,Double>angAgeofmaleAndFemaleEmployees=emp.stream().collect(Collectors.groupingBy
        (Employee::getGender,Collectors.averagingInt(Employee::getAge)));

System.out.println(angAgeofmaleAndFemaleEmployees);

*/
}
}

```

