

My Project

Generated by Doxygen 1.8.17

1 Class Index	1
1.1 Class List	1
2 Class Documentation	3
2.1 LinkedList< T > Class Template Reference	3
2.1.1 Detailed Description	3
2.1.2 Member Function Documentation	3
2.1.2.1 insertFront()	3
2.1.2.2 insertRear()	4
2.1.2.3 main()	4
2.1.2.4 removeFront()	4
2.1.2.5 removeRear()	4
Index	5

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

LinkedList< T >	3
---	---

Chapter 2

Class Documentation

2.1 `LinkedList< T >` Class Template Reference

Public Member Functions

- void `insertFront` (T item)
- void `insertRear` (T item)
- void `removeFront` ()
- void `removeRear` ()

Static Public Member Functions

- static void `main` (String a[])

2.1.1 Detailed Description

This class implements the data structure `LinkedList`, which consists of sequential nodes containing information, and links to the previous and the next nodes

2.1.2 Member Function Documentation

2.1.2.1 `insertFront()`

```
void LinkedList< T >.insertFront (  
    T item ) [inline]
```

Parameters

<i>item</i>	The element to be inserted at the front of the LinkedList Inserts the element to the front of the LinkedList , links the old front node to the new one and updates the front node of LinkedList Prints the element being added to the front
-------------	---

add element at the beginning of the queue

2.1.2.2 insertRear()

```
void LinkedList< T >.insertRear (
    T item ) [inline]
```

Parameters

<i>item</i>	The element to be inserted at the rear of the LinkedList Inserts the element to the rear of the LinkedList , links the old rear node to the new one and updates the rear node of LinkedList Prints the element being added to the rear
-------------	--

add element at the end of the queue

2.1.2.3 main()

```
static void LinkedList< T >.main (
    String a[] ) [inline], [static]
```

The main driver code for building the [LinkedList](#)

2.1.2.4 removeFront()

```
void LinkedList< T >.removeFront ( ) [inline]
```

Removes the element at the front of the [LinkedList](#), links the new front node to null and updates the front node of [LinkedList](#) to the second node in the old List Prints the element being removed from the front remove an item from the beginning of the queue

2.1.2.5 removeRear()

```
void LinkedList< T >.removeRear ( ) [inline]
```

Removes the element at the rear of the [LinkedList](#), links the new rear node to null and updates the rear node of [LinkedList](#) to the second last node in the old List Prints the element being removed from the rear remove an item from the beginning of the queue

The documentation for this class was generated from the following file:

- [LinkedList.java](#)

Index

insertFront
 LinkedList< T >, [3](#)

insertRear
 LinkedList< T >, [4](#)

LinkedList< T >, [3](#)
 insertFront, [3](#)
 insertRear, [4](#)
 main, [4](#)
 removeFront, [4](#)
 removeRear, [4](#)

main
 LinkedList< T >, [4](#)

removeFront
 LinkedList< T >, [4](#)

removeRear
 LinkedList< T >, [4](#)