Sudoku Solver (Backtracking 2) Java

Write a program to solve a Sudoku puzzle by filling the empty cells.

A sudoku solution must satisfy all of the following rules:

- 1. Each of the digits 1-9 must occur exactly once in each row.
- 2. Each of the digits 1-9 must occur exactly once in each column.
- 3. Each of the digits 1-9 must occur exactly once in each of the 9 3x3 sub-boxes of the grid.

The '.' character indicates empty cells.

Sample Input

| 5 | 3 | | | 7 | | | | |
|---|---|---|---|---|---|---|---|---|
| 6 | | | 1 | 9 | 5 | | | |
| | 9 | 8 | | | | | 6 | |
| 8 | | | | 6 | | | | 3 |
| 4 | | | 8 | | 3 | | | 1 |
| 7 | | | | 2 | | | | 6 |
| | 6 | | | | | 2 | 8 | |
| | | | 4 | 1 | 9 | | | 5 |
| | | | | 8 | | | 7 | 9 |

board =

Sample Output

| 5 | 3 | 4 | 6 | 7 | 8 | 9 | 1 | 2 |
|---|---|---|---|---|---|---|---|---|
| 6 | 7 | 2 | 1 | 9 | 5 | 3 | 4 | 8 |
| 1 | 9 | 8 | ო | 4 | 2 | 5 | 6 | 7 |
| 8 | 5 | 9 | 7 | 6 | 1 | 4 | 2 | 3 |
| 4 | 2 | 6 | 8 | 5 | 3 | 7 | 9 | 1 |
| 7 | 1 | 3 | 9 | 2 | 4 | 8 | 5 | 6 |
| 9 | 6 | 1 | 5 | 3 | 7 | 2 | 8 | 4 |
| 2 | 8 | 7 | 4 | 1 | 9 | 6 | 3 | 5 |
| 3 | 4 | 5 | 2 | 8 | 6 | 1 | 7 | 9 |

[["5","3","4","6","7","8","9","1","2"],["6","7","2","1","9","5","3","4","8"],["
1","9","8","3","4","2","5","6","7"],["8","5","9","7","6","1","4","2","3"],["4",
"2","6","8","5","3","7","9","1"],["7","1","3","9","2","4","8","5","6"],["9","6",
"1","5","3","7","2","8","4"],["2","8","7","4","1","9","6","3","5"],["3","4","5
","2","8","6","1","7","9"]]

Code

- a. StartingRow = 3*(row/3) & StartingCol = 3*(col/3)
- b. StartingRow = row row%3 & StartingCol = col col%3

Code

```
public boolean helper(char[][] board, int row, int col) {
        if(helper(board, nrow, ncol)) {
                if(helper(board, nrow, ncol))
```