

Evolving Music with Genetic Algorithm

Nisha Shareef Shaikh
BSc. Computer Science
School of Science and Engineering
Habib University
Karachi, Pakistan
ns02530@st.habib.edu.pk

Abeera Tariq
BSc. Computer Science
School of Science and Engineering
Habib University
Karachi, Pakistan
at02787@st.habib.edu.pk

Dr. Syeda Saleha Raza
Assistant Professor, Computer Science
School of Science and Engineering
Habib University
Karachi, Pakistan
saleha.raza@sse.habib.edu.pk

Abstract—This paper aims to use a genetic algorithm to produce music. This approach involves constructing melodies from random notes and pitches and evolving them to create a pleasant composition.

Index Terms—music, evolution, genetic algorithm

I. INTRODUCTION

Algorithms in music are used for sound synthesis, sampling, recognition of musical works and for music composition. Music composition involves innovation, creativity and a sense of melody. This work applies genetic algorithms to compose melodies in hope to discover how music can be composed without the involvement of musicians. Taking motivation from [1], we will try to utilize our knowledge of genetic algorithms to compose melodies.

Composing music is thought to be a process that can't work without human involvement due to the subjective nature of the task as an artist composes music as a means to express their feelings, emotions and inspiration. It is believed that music is composed as a result of free choice of existing rules. This implies that the process of composition can be broken down to a set of instructions, so composition may be considered an algorithm in some way. Since genetic algorithms are capable of mimicking nature, they are believed to be a suitable approach to eliminate human involvement optimizing the task of music composition. However, the lack of human factor may lead to large amounts of objectively bad and useless music.

With the genetic algorithm, melodies will be represented as a list of integers that describe each beat's note, octave and duration. The algorithm will start with a group of random compositions created with random parameters to describe each beat. This group will be evolved with the algorithm to continuously improve the compositions and get a pleasant-sounding piece at the end.

The rest of the paper is organized as follows:

Section II provides details of the technical background utilized to conduct this research.

Section III unfolds information gained from related work under the topic of music composition using genetic algorithms.

Section IV deals with the methodology used to conduct this research and details techniques of the algorithm.

Section V presents the experiment and result of this study.

Section VI Concludes this work and mentions potential of further study of the topic.

II. TECHNICAL BACKGROUND

A. Genetic Algorithm

The main technique used in this paper is the genetic algorithm. It has been inspired by the process of biological evolution and proves beneficial for optimization. Using concepts of reproduction, mutation, selection and recombination on candidate solutions (chromosomes), genetic algorithms can solve an optimization problem. A fitness function determines how good the candidate solution is and works by evolving the solutions to obtain the optimum solution to the problem.

The algorithm starts by generating a population with n chromosomes, where n is determined by the user and every chromosome denotes a candidate solution to the problem.

From this population, certain chromosomes are selected for reproduction on the basis of their fitness value (depending on the selection scheme used). For reproduction, a crossover method is used where a crossover point is selected, the two parents selected are split at this crossover point, and a new solution or offspring is created by joining the head of one parent with the tail of the other. Once the offspring have been generated and added to the population, they will be mutated with a certain probability. For mutation, a certain gene of the chromosome will be changed. The population will again be reduced to just n solutions by selecting the best n chromosomes from the current population.

This process of reproduction, mutation and selection will keep repeating until the criteria of termination have been fulfilled.

B. Music



Before we proceed, it is important to understand some terms in music.

1) *Note*: A note is the pitch (frequency) and duration of a sound generally represented by letters,

$C - D - E - F - G - A - B$

2) *Octave*: Octave is a series of eight notes, where 2 notes are separated by intervals. Consecutive octaves have half or twice the frequency of each other.




Fig. 1. Notes on the C-Scale [4]

3) *Bar*: The duration of the beat and frequency of the durations in the melody defines rhythm and basic unit of measurement - bar. It organizes the written music in small sections where each bar is a section of time and usually contains the same number of beats in it.

III. RELATED WORK

The inspiration to our study is "A Genetic Algorithm For Composing Music" by Dragan Matic [1] which exposed us to intelligent music composition for the first time. The paper elaborates on composing melodies based on a reference melody. With a different mechanism involved for constructing a melody, the idea of composition in this paper is restricted to a similarity value of a chromosome with respect to a reference melody. The similarity is calculated based on a defined "distance" of an individual with the reference one.

The implementation of genetic algorithm is based on simply *mutation* where each generation is only mutated to evolve and compose better pieces of music. The algorithm utilizes 3 different ways to mutate the chromosomes. An interesting mechanism of selection is utilized called *elimination selection* whereby all individuals of low fitness are removed and all duplicates (individuals of the same fitness) are also removed. Therefore, at each iteration, the population consists of individuals with distinct fitness. Experimentation and results of this study proved fruitful as it resulted in a beautiful composition as claimed by the researcher. Although the algorithm leaves possible room for controlling parameters, the existence of a reference melody assists in producing more rhythmic and harmonious music. The algorithm is designed in such a way so as to incorporate mathematical functions that evaluate fitness based on other parameters.

Another inspiration was the work of Papadopoulos [3], who focused on figuring out fitness functions that would lead to less human involvement in analyzing each composition. Papadopoulos used a variety of fitness functions according to

the qualities of a pleasant composition, which is what we hope to build on.

Gaining inspiration from this algorithm, we have attempted to use some mathematical functions to determine fitness of the melodies which will be discussed ahead in this paper.

IV. METHODOLOGY

Our approach is to utilize our learning of genetic algorithm to compose music. We start by randomly generating notes to create random melodies, which will comprise our population. These melodies will then go through the reproduction, mutation and selection processes for a certain number of generations.

A. Chromosome Structure

The chromosome for a melody is represented as a list of 4-tuples, where each tuple defines a single beat. For example, a beat may be represented as (0, 4, 32, 4), where each index is defined as follows

- Index 0: Note Index
- Index 1: Octave Index
- Index 2: Absolute Note
- Index 3: Duration

The note index will refer to the notes *C, D, E, F, G, A, and B* along with rest (which, in music terminology, means an interval of silence). Hence, in the example above, the beat is a *C* note.

Octave is basically the interval between two notes with the same letter name with one having double or half the frequency of the other. For example, the octave can go from *C – C* with one *C* note having half or double the frequency of the other *C* note. The octave index starts from 0, so the beat above is a *C5* note.

The absolute note represents the note and octave together as one integer to facilitate in the functioning of the genetic algorithm. It is basically the product of the octave index and the number of notes per octave added to the letter index.

The duration specifies the amount of time that the beat would play for. The duration *d* is a denominator in the fraction $\frac{1}{d}$, so in the example above, the beat will play for one-fourth or a quarter of a second. If the duration was 2, the beat would play for half a second.

[(0, 4, 32, 4), (6, 0, 6, 4), (4, 2, 20, 4), (6, 1, 14, 4), (2, 1, 10, 4), (3, 1, 11, 4), (1, 3, 25, 4), (3, 4, 35, 4), (5, 0, 5, 4), (0, 2, 16, 4), (7, 3, 31, 4), (2, 5, 42, 4), (5, 3, 29, 4), (0, 2, 16, 4), (1, 5, 41, 4), (6, 0, 6, 4), (7, 3, 31, 4), (7, 5, 47, 4), (5, 0, 5, 4), (0, 3, 24, 4), (2, 3, 26, 4), (0, 5, 40, 4), (2, 5, 42, 4), (0, 1, 8, 4), (3, 5, 43, 4), (4, 4, 36, 4), (5, 3, 29, 4), (5, 5, 45, 4), (1, 1, 9, 4), (7, 3, 31, 4), (7, 4, 39, 4), (1, 1, 9, 4)]

Representation of a single melody as a chromosome

B. Selection Schemes

Selection schemes are applied to choose the fittest parents and find the best solutions to survive in the next generation.

The selection schemes used include binary tournament and truncation.

1) *Binary Tournament*: Binary tournament involves randomly selecting two chromosomes and choosing the fittest of the two according to a pre-determined selection probability. A random number is generated and if the number is lower than or equal to the selection probability, the fitter individual is chosen or else the weaker one is chosen. The binary tournament process is run for as many times as the number of chromosomes to be selected.

2) *Truncation*: Truncation selection chooses the top k fittest chromosomes, where k is the number of chromosomes that have to be selected. For each crossover, 2 fittest chromosomes are selected, while for survivor selection, k is equal to the population size to select chromosomes that will be carried over to the next generation.

C. Fitness Function

The fitness is evaluated based on several weighted attributes of music. The general formula for evaluating the fitness f is

$$f = \sum_{i=1}^n \lambda_i f_i$$

where f_i is the musical attribute being used, λ_i is the weight of the attribute and n is the total number of attributes used.

Following are the attributes we used:

1) *Octave*: A composition sounds more pleasant if the pitch values of its notes are relatively close to each other [2]. Pitch and octave are similar in that they both denote the frequency of the note. Hence, to make sure the pitches are close to each other, we favored chromosomes that have more beats with the same octave.

2) *Interval*: As the compositions have been created randomly, there is a chance that large intervals might occur, which do not sound too pleasing [6]. Hence, this function would give better fitness scores to compositions with small intervals. The perfect fourth interval is preferred [4] because it sounds the most pleasing to the ears.

3) *Variation*: This function evaluates the amount of changes in pitch direction [2]. Frequent variation in pitch direction does not sound aesthetically pleasing to the ears, so this function rewards compositions with a more stable direction. The function will evaluate every three succeeding notes to see if they all rise or fall, awarding better scores if all three are in the same direction.

4) *Down Beat*: Down beat is the first beat in a bar and is usually the most significant one. Chord notes (which are C, E and G in our case) sound better as the down beat, so compositions with a higher number of bars with a chord note as the down beat will be given a better fitness score.

D. Crossover

Crossover scheme for this algorithm involves choosing a random index in the range of the length of the melody. Each crossover leads to exactly 2 children. The first part of offspring 1 is chosen from parent 1 and the second part from parent 2.




Fig. 2. Flowchart of the Genetic Algorithm for Music Composition

On the other hand, the first part of offspring 2 is chosen from parent 2 and the second part from parent 1.

E. Mutation

Mutation scheme for this algorithm works based on a mutation rate. A random number is generated and if it lies within the set mutation rate, the chromosome is mutated. However, the entire chromosome is not changed. For every beat in the chromosome, a random number is generated and if it is less than the mutation rate, a new beat will be randomly produced [7].

F. Genetic Algorithm

Combining all techniques above, we evolved the population to find the melody with the highest fitness using the algorithm shown in Fig. 2. At the end of the set n generations, the population is sorted with respect to fitness and the highest fitness melody is stored as the best melody. However, listening to the music allowed us to judge how good the melody is based on how good it sounds to the human ear. Although our algorithm was not an "interactive composition" algorithm, this allowed us to adjust the multipliers for the fitness function to produce better music. This was done during the experimentation process to find the best combination of parameters and fitness multipliers.

G. Generating Music Files Using PySynth

We used a library "PySynth B" to produce music files. The chromosome structure is treated such that the melody is turned




Fig. 3. Crossover

into a “.wav” file which is playable by any music player. Its method “make_wav” takes a tuple of 2-tuples that describe the melody. The first value of the 2-tuple describes the note and its octave, and the second value describes the duration of the beat. Hence, for PySynth B, the 2-tuple (‘c5’, 4) denotes a C5 beat that plays for a quarter of a second.

V. EXPERIMENT AND RESULTS

To start with, we fixed the music scale to C major since that is the most popular music scale used. Furthermore, we fixed the octave range from C2 to C7. Hence, the octave index 0 would refer to the second octave instead of the first one. We also kept the musical composition generated to 32 beats with 4 beats per bar and 8 bars in total. We kept the composition short to keep the speed of the process low. We also kept the duration of every beat to a quarter of a second.

We tested our algorithm with different sets of parameters. Controlling population size, mutation rate, selection schemes, offspring size and number of generations, we tried to produce harmonious melodies. As expected, human interaction was necessary to identify good pieces of melody. At each moment that we made a change in parameters, we would stop and listen to the best melody generated at the end to judge how well the algorithm is working.

After experimentation with different parameter values, we

set the following parameters:

Population size = 50

Mutation rate = 0.6

Selection rate = 0.8

Offspring size = 10

Generations = 5000

We started with a low mutation rate, offspring size and generations and only using the truncation selection scheme, but the fitness value of the population did not change too much and the melody produced at the end wasn’t too pleasing to hear. We tweaked these parameters until the melody at the end was much better. We used the binary tournament selection scheme to select the parents and truncation for only selecting the new generation, and our results vastly improved.

The first generation created randomly had a lot of jumps and did not sound pleasant to the ears. The music notation of its best melody is shown in Fig. 4, which has been created used *AmazingMIDI* and *notation composer*. The notation shows the melody had a lot of rests as well. On the other hand, the best composition of the last generation sounded more melodious. Its music notation is shown in Fig. 5.

VI. CONCLUSION

The musical composition generated was very short and did not give such a good idea about the changes. However, this composition can be arranged in an AABA format, which is a very popular format used by many famous songs. Each section in this format is composed of 32 beats. We will only need to create another melody using the algorithm, which can be B, and arrange the two melodies in AABA format to make a longer composition.

This study was limited by human interaction. We were bound to listen to the music besides simply trusting the fitness function. This breaks complete dependence on the computer for generating music and involves the human brain to pass judgment. A melodious tune may not be rightly identified by the genetic algorithm, but we have gotten close to achieving a harmonious melody at the end of our study. Since we have built up on other works on this topic, we believe that a mathematician who has worked deeply on music’s relation to mathematics can help find a better fitness function. There is room for improvement in this search and we believe it is possible to remove human dependence in the innovative and creative task of music composition.

ACKNOWLEDGMENT

We thank the researchers who have studied this topic deeply and provided us with papers that have increased our knowledge of the subject. We thank other online resources that have facilitated us to understand music terminologies, We thank our lovely friend, Faiza Amir who helped us understand musical terms because of her great interest in composing music.

REFERENCES

- [1] D. Matic, "A genetic algorithm for composing music," *Yugoslav Journal of Operations Research*, vol. 20, no. 1, pp. 157-177, 2010. Available: 10.2298/yjor1001157m [Accessed 19 April 2019].
- [2] V. Anderling, O. Andreasson, C. Olsson, S. Pavlov, C. Svensson, and J. Wikner, "Generation of music through genetic algorithms," 2014.
- [3] G. Papadopoulos and G. Wiggins, "A Genetic Algorithm for the Generation of Jazz Melodies," 2000
- [4] How To Read Sheet Music: Step-by-Step Instructions, *Musicnotes Now*, 21-Jan-2019. [Online]. Available: <https://www.musicnotes.com/now/tips/how-to-read-sheet-music/>. [Accessed: 02-May-2019].
- [5] Z. Geem and J. Choi, "Music Composition Using Harmony Search Algorithm", *Lecture Notes in Computer Science*, pp. 593-600. Available: 10.1007/978-3-540-71805-5_65 [Accessed 19 April 2019].
- [6] A. Freitas, F. Guimares and R. Barbosa, "Automatic Evaluation Methods in Evolutionary Music: An Example with Bossa Melodies", *Lecture Notes in Computer Science*, pp. 458-467, 2012. Available: 10.1007/978-3-642-32964-7_46 [Accessed 19 April 2019].
- [7] M. Marques, V. Oliveira, S. Vieira and A. Rosa, "Music composition using genetic evolutionary algorithms", *Proceedings of the 2000 Congress on Evolutionary Computation. CEC00 (Cat. No.00TH8512)*, 2000. Available: 10.1109/cec.2000.870368 [Accessed 2 May 2019].



Fig. 4. Music Notation of Best Melody in 0th Generation




Fig. 5. Music Notation of Best Melody in 5000th Generation