



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:58:33 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

Description

Properties	Values
Name	ComponentRow
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:51 PM
Modification	24 Jul, 2017 5:50:40 PM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault


Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tCreateTable_1	tCreateTable
tMysqlOutput_1	tMysqlOutput
tMysqlRow_1	tMysqlRow
tMysqlRow_2	tMysqlRow
tRowGenerator_1	tRowGenerator

Components Description

Component tCreateTable

	UNIQUE NAME	tCreateTable_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__ __TABLE__	OUTPUT(S)	tMysqlRow_1

Component Parameters:

Properties	Values
Unique Name	tCreateTable_1
Component Name	tCreateTable

Version	0.102 (ALPHA)
Family	Databases
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tCreateTable
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
Database Type	MYSQL
Table Action	DROP_IF_EXIST_CREATE
Case Sensitive	false

Use an existing connection	false
Host	"localhost"
Database Name	"case_tracking_system"
Local Service Name	""
URL	"jdbc:oracle:oci:/@db10g_test"
UserName	"root"
Password	*****
Port	"3306"
Schema	""
CONNECTION_ACCESS	
Access File	"D:/TOS-All-r17341-V3.0.0M3/workspace/in.mdb"
DB Version	jt400_V5R3.jar
CONNECTION_AS400	
CONNECTION_DB2	
CONNECTION_FIREBIRD	
Firebird File	"D:/TOS-All-r17341-V3.0.0M3/workspace/in.FDB"
Running Mode	HSQldb_SERVER
Use TLS/SSL Sockets	false
DB Path	""
Database Name	""
DB Alias	""
CONNECTION_INFORMIX	

Instance	""
CONNECTION_INGRES	
CONNECTION_INTERBASE	
Interbase File	"D:\TOS-All-r17341-V3.0.0M3\workspace\in.gdb"
Framework Type	EMBEDED
Has been connected to a network server	false
Database Name	""
DB Root Path	""
CONNECTION_MSSQL	
JDBC Provider	JTDS
Temporary Table	false
CONNECTION_MYSQL	
DB Version	MYSQL_5
CONNECTION_NETEZZA	
CONNECTION_ORACLE	
Connection Type	ORACLE_SID
URL	""
DB Version	ORACLE_11
CONNECTION_POSTGRE	
DB Version	PRIOR_TO_V9
Unlogged Table	false
CONNECTION_POSTGREPLUS	


CONNECTION_SQLITE	
SQLite File	"D:/TOS-All-r17341-V3.0.0M3/workspace/talend.db"
CONNECTION_SYBASE	
DB Version	SYBSEIQ_16
CONNECTION_TERADATA	
ODBC Name	""
CONNECTION_GREENPLUM	
Use "drop cascade"	true
DB Version	vertica_3.0_jdk_5.jar
CONNECTION_VERTICA	
CONNECTION_EXASOL	
CONNECTION_REDSHIFT	
CONNECTION_SNOWFLAKE	
Account	""
Role	""
Table Name	"demotable"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Mapping	mysql_id
Create	SET
Enforce database delimited identifiers	false
Additional JDBC Parameters	"prompt=false"

!!!ENCODING.NAME!!!	"ISO-8859-15"
Create projection	true
Label format	__UNIQUE_NAME__ __TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tCreateTable_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
number	true	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters:
Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tMysqlOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql


DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	
Host	"localhost"
Port	"3306"
Database	"case_tracking_system"
Username	"root"
Password	*****
Table	"demotable"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	true
Mapping	mysql_id
Additional JDBC Parameters	""
Extend Insert	false
Number of rows per insert	100

Use Batch Size	false
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[[{SCHEMA_COLUMN=number, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=txt, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=flag, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]]
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlOutput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters:
Component tMysqlRow

	UNIQUE NAME	tMysqlRow_1	INPUT(S)	tCreateTable_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tRowGenerator_1

Component Parameters:

Properties	Values
Database	tMysqlRow
Unique Name	tMysqlRow_1
Component Name	tMysqlRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"case_tracking_system"
Database Driver	MySQL
Username	"root"


Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	""
Query Type	Built-In
Query	"ALTER TABLE demotable DROP PRIMARY KEY"
Specify a data source alias	false
Data source alias	""
Die on error	true
Additional JDBC Parameters	""
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tMySQLRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tMySQLRow

	UNIQUE NAME	tMySQLRow_2	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMySQLRow
Unique Name	tMySQLRow_2
Component Name	tMySQLRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false


Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"case_tracking_system"
Database Driver	MySQL
Username	"root"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Reject Schema	Built-In

Table Name	"demotable"
Query Type	Built-In
Query	"ALTER TABLE demotable ADD PRIMARY KEY (number)"
Specify a data source alias	false
Data source alias	""
Die on error	true
Additional JDBC Parameters	""
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	tMysqlRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_1 , tMysqlRow_2

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Show Information	false
Comment	
Use an existing validation rule	false

Row generator information for tRowGenerator_1 :

Column	Key	Type	Nullable	Length	Precision	Default	Comment	Functions	Parameters
number	false	int	false	3				sequence(id,1,1)	
txt	false	String	false	20				text1, text2, text3, text4, text5, text6, text7, text8, text9, text10	

date	false	String	false	10				2007-01-21, 2007-02-22, 2007-03-23, 2006-04-24, 2006-05-25, 2006-06-26, 2005-07-27, 2005-08-28, 2005-08-29, 2004-11-21	
flag	false	boolean	false	5				true,false	