Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:10 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tWaitForSqlData
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	29 Sep, 2008 8:54:14 PM
Modification	24 Jul, 2017 5:50:46 PM

Preview Picture

Settings

Extra settings

Name	Value

COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tCreateTable_1	tCreateTable
tMsgBox_1	tMsgBox
tMysqlConnection_1	tMysqlConnection
tWaitForSqlData_1	tWaitForSqlData

Components Description

Component   tCreateTable

	UNIQUE NAME	tCreateTable_1	INPUT(S)	tMysqlConnection_1
	LABEL	__UNIQUE_NAME__ __TABLE__	OUTPUT(S)	tWaitForSqlData_1

Component Parameters:

Properties	Values
Unique Name	tCreateTable_1
Component Name	tCreateTable
Version	0.102 (ALPHA)

Family	Databases
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tCreateTable
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
Database Type	MYSQL
Table Action	DROP_IF_EXIST_CREATE
Case Sensitive	false
Use an existing connection	true

Host	"localhost"
Database Name	"test"
Local Service Name	""
URL	"jdbc:oracle:oci:/@db10g_test"
UserName	"root"
Password	******
Port	"3306"
Schema	""
CONNECTION_ACCESS	
Access File	"D:/TOS-All-r17341-V3.0.0M3/workspace/in.mdb"
DB Version	jt400_V5R3.jar
CONNECTION_AS400	
CONNECTION_DB2	
CONNECTION_FIREBIRD	
Firebird File	"D:/TOS-All-r17341-V3.0.0M3/workspace/in.FDB"
Running Mode	HSQLDB_SERVER
Use TLS/SSL Sockets	false
DB Path	""
Database Name	""
DB Alias	""
CONNECTION_INFORMIX	
Instance	""

CONNECTION_INGRES	
CONNECTION_INTERBASE	
Interbase File	"D:\TOS-All-r17341-V3.0.0M3\workspace/in.gdb"
Framework Type	EMBEDED
Has been connected to a network server	false
Database Name	""
DB Root Path	""
CONNECTION_MSSQL	
JDBC Provider	JTDS
Temporary Table	false
CONNECTION_MYSQL	tMysqlConnection_1
DB Version	MYSQL_5
CONNECTION_NETEZZA	
CONNECTION_ORACLE	
Connection Type	ORACLE_SID
URL	""
DB Version	ORACLE_11
CONNECTION_POSTGRE	
DB Version	PRIOR_TO_V9
Unlogged Table	false
CONNECTION_POSTGREPLUS	
CONNECTION_SQLITE	

SQLite File	"D:/TOS-All-r17341-V3.0.0M3/workspace/talend.db"
CONNECTION_SYBASE	
DB Version	SYBSEIQ_16
CONNECTION_TERADATA	
ODBC Name	""
CONNECTION_GREENPLUM	
Use "drop cascade"	true
DB Version	vertica_3.0_jdk_5.jar
CONNECTION_VERTICA	
CONNECTION_EXASOL	
CONNECTION_REDSHIFT	
CONNECTION_SNOWFLAKE	
Account	""
Role	""
Table Name	"twaitforsqldata"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Mapping	mysql_id
Create	SET
Enforce database delimited identifiers	false
Additional JDBC Parameters	"prompt=false"
!!!ENCODING.NAME!!!	"ISO-8859-15"

Create projection	true
Label format	__UNIQUE_NAME__ __TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tCreateTable_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
number	true	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters:
Component   tMsgBox

	UNIQUE NAME	tMsgBox_1	INPUT(S)	tWaitForSqlData_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values

Unique Name	tMsgBox_1
Component Name	tMsgBox
Version	0.101 (ALPHA)
Family	Misc
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMsgBox
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Title	"Talend Open Studio"
Buttons	0

Icon	INFORMATION_MESSAGE
Mask Answer	false
Question	"Question ?"
Message	"The trigger of the job tWaitForSqlData is done!"
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMsgBox_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMysqlConnection

	UNIQUE NAME	tMysqlConnection_1	INPUT(S)	none
	LABEL	demoMysql	OUTPUT(S)	tCreateTable_1

Component Parameters:

Properties	Values
Database	tMysqlConnection
Unique Name	tMysqlConnection_1

Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL|ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
DB Version	MYSQL_5
Host	"localhost"

Database Driver	MySQL
Port	"3306"
Database	"case_tracking_system"
Additional JDBC Parameters	""
Username	"root"
Password	*********
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Label format	demoMysql
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tWaitForSqlData

	UNIQUE NAME	tWaitForSqlData_1	INPUT(S)	tCreateTable_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMsgBox_1

Component Parameters:

Properties	Values
Unique Name	tWaitForSqlData_1
Component Name	tWaitForSqlData
Version	0.102 (ALPHA)
Family	Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tWaitForFile
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Wait at each iteration (in seconds)	1
Max iterations (infinite loop if empty)	
Use an existing connection	true
Connection list	tMysqlConnection_1
Table to scan	"twaitforsqldata"
Trigger action when rowcount is	>=
Value	10
Then	exitloop
Enable WHERE clause	false
Where Clause	"WHERE name='talend'"
Enable sql statement	false
SQL Statement	"SELECT COUNT(*) FROM test WHERE name='talend'"
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: