



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:00:20 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

Description

Properties	Values
Name	MySQLSharedConnectionChildChild
Author	Joshi, Nishad
Version	1.1
Purpose	
Status	DEV
Description	
Creation	2 May, 2018 10:56:09 PM
Modification	2 May, 2018 11:31:06 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault


Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tLogRow_1	tLogRow
tMysqlConnection_1	tMysqlConnection
tMysqlInput_1	tMysqlInput

Components Description

Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMysqlInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=Code, LENGTH=10}, {SCHEMA_COLUMN=Name, LENGTH=10}, {SCHEMA_COLUMN=Continent, LENGTH=10}, {SCHEMA_COLUMN=Region, LENGTH=10}, {SCHEMA_COLUMN=SurfaceArea, LENGTH=10}, {SCHEMA_COLUMN=IndepYear, LENGTH=10}, {SCHEMA_COLUMN=Population, LENGTH=10}, {SCHEMA_COLUMN=LifeExpectancy, LENGTH=10}, {SCHEMA_COLUMN=GNP, LENGTH=10}, {SCHEMA_COLUMN=GNPOld, LENGTH=10}, {SCHEMA_COLUMN=LocalName, LENGTH=10}, {SCHEMA_COLUMN=GovernmentForm, LENGTH=10}, {SCHEMA_COLUMN=HeadOfState, LENGTH=10}, {SCHEMA_COLUMN=Capital, LENGTH=10}, {SCHEMA_COLUMN=Code2, LENGTH=10}]
Print content with log4j	true


Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for country :

Column	Key	Type	Length	Precision	Nullable	Comment
Code	true	String	3		false	
Name	false	String	52		false	
Continent	false	Object	13		false	
Region	false	String	26		false	
SurfaceArea	false	float	10	2	false	
IndepYear	false	Short	5		true	
Population	false	int	10		false	
LifeExpectancy	false	Float	3	1	true	
GNP	false	Float	10	2	true	

GNPOld	false	Float	10	2	true	
LocalName	false	String	45		false	
GovernmentForm	false	String	45		false	
HeadOfState	false	String	60		true	
Capital	false	Integer	10		true	
Code2	false	String	2		false	

Original Function Parameters:
Component **tMysqlConnection**

	UNIQUE NAME	tMysqlConnection_1	INPUT(S)	none
	LABEL	MySQL56World	OUTPUT(S)	tMysqlInput_1


Component Parameters:

Properties	Values
Database	tMysqlConnection
Unique Name	tMysqlConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL ELT/Connections
Start	true
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	MYSQL_5
Host	""
Database Driver	MYSQL
Port	""
Database	""
Additional JDBC Parameters	"noDatetimeStringSync=true"
Username	""
Password	**

Encoding	"ISO-8859-15"
Use or register a shared DB Connection	true
Shared DB Connection Name	"conMysql"
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Label format	MySQL56World
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tMysqlInput

	UNIQUE NAME	tMysqlInput_1	INPUT(S)	tMysqlConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tLogRow_1

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tMysqlInput_1

Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MySQL56World
DB Version	MYSQL_5
Use an existing connection	true

Component List	tMysqlConnection_1
Host	"localhost"
Port	"3306"
Database	"world"
Database Driver	MYSQL
Username	"root"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	repository: DB (MYSQL):MySQL56World - country
Table Name	"country"
Query Type	Built-In
Guess Schema	""
Query	"SELECT `country`.`Code`, `country`.`Name`, `country`.`Continent`, `country`.`Region`, `country`.`SurfaceArea`, `country`.`IndepYear`, `country`.`Population`, `country`.`LifeExpectancy`, `country`.`GNP`, `country`.`GNPOld`, `country`.`LocalName`, `country`.`GovernmentForm`, `country`.`HeadOfState`, `country`.`Capital`, `country`.`Code2` FROM `country` LIMIT 10"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false

Trim column	[{SCHEMA_COLUMN=Code, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=Continent, TRIM=false}, {SCHEMA_COLUMN=Region, TRIM=false}, {SCHEMA_COLUMN=SurfaceArea, TRIM=false}, {SCHEMA_COLUMN=IndepYear, TRIM=false}, {SCHEMA_COLUMN=Population, TRIM=false}, {SCHEMA_COLUMN=LifeExpectancy, TRIM=false}, {SCHEMA_COLUMN=GNP, TRIM=false}, {SCHEMA_COLUMN=GNPOld, TRIM=false}, {SCHEMA_COLUMN=LocalName, TRIM=false}, {SCHEMA_COLUMN=GovernmentForm, TRIM=false}, {SCHEMA_COLUMN=HeadOfState, TRIM=false}, {SCHEMA_COLUMN=Capital, TRIM=false}, {SCHEMA_COLUMN=Code2, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for country :

Column	Key	Type	Length	Precision	Nullable	Comment
Code	true	String	3		false	
Name	false	String	52		false	
Continent	false	Object	13		false	
Region	false	String	26		false	
SurfaceArea	false	float	10	2	false	
IndepYear	false	Short	5		true	
Population	false	int	10		false	

LifeExpectancy	false	Float	3	1	true	
GNP	false	Float	10	2	true	
GNPOld	false	Float	10	2	true	
LocalName	false	String	45		false	
GovernmentForm	false	String	45		false	
HeadOfState	false	String	60		true	
Capital	false	Integer	10		true	
Code2	false	String	2		false	

Original Function Parameters: