

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:17 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

|--|

Description

Properties	Values
Name	tFlowToIterate
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:52 PM
Modification	24 Jul, 2017 5:50:46 PM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Туре	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\	globalContext

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileInputDelimited_2	tFileInputDelimited
tFlowToIterate_1	tFlowToIterate
tLogRow_1	tLogRow

Components Description

Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tFlowTolterate_1

Properties	Values
Unique Name	tFileInputDelimited_1

Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In

г

File name/Stream	context.root.concat("talend_files_0.1/in/Misc/tFlowTolterate/list_files.txt")
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	II . II
Escape char	1111
Text enclosure	1111
Header	0
Footer	0
Limit	
Skip empty rows	true
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/workspace"
Advanced separator (for numbers)	false
Thousands separator	','
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=relative_path, TRIM=false}]

Check each row structure against schema	false
Check date	false
Encoding	"ISO-8859-15"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=relative_path, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited_1:

Odricina ioi	ti nempate						
Column	Key	Туре	Length	Precision	Nullable	Comment	
relative_path	false	String			true		

Original Function Parameters: Component tFileInputDelimited

	; →	UNIQUE NAME	tFileInputDelimited_2	INPUT(S)	tFlowToIterate_1
--	------------	----------------	-----------------------	----------	------------------

LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_1
-------	-------------	-----------	-----------

Component Parameters:	
Properties	Values
Unique Name	tFileInputDelimited_2
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
REPOSITORY_ALLOW_AUTO_SV	MITEH	
Schema	Built-In	
File name/Stream	(context.root.concat("talend_files_0.1//in/Misc/tFlowTolterate/")).concat(row1.relative_	_pat
CSV options	false	
Row Separator	"\n"	
CSV Row Separator	"\n"	
Field Separator	"."	
Escape char		
Text enclosure		
Header	0	
Footer	0	
Limit		
Skip empty rows	true	
Uncompress as zip file	false	
Die on error	false	
Schema	Built-In	
!!!TEMP_DIR.NAME!!!	"C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/workspace"	
Advanced separator (for numbers)	false	
Thousands separator	,	
Decimal separator		

Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=fileName, TRIM=false}, {SCHEMA_COLUMN=txtSample, TRIM=false}, {SCHEMA_COLUMN=intSample, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"ISO-8859-15"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=fileName, DECODE=false}, {SCHEMA_COLUMN=txtSample, DECODE=false}, {SCHEMA_COLUMN=intSample, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited_2:

Column	Key	Туре	Length	Precision	Nullable	Comment
fileName	false	String			true	
txtSample	false	String			true	
intSample	false	Integer			true	

Original Function Parameters: Component tFlowTolterate

 UNIQUE NAME	tFlowTolterate_1	INPUT(S)	tFileInputDelimited_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputDelimited_2

Properties	Values		
Unique Name	tFlowTolterate_1		
Component Name	tFlowTolterate		
Version	0.101 (ALPHA)		
Family	Orchestration		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFlowTolterate		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use the default (key, value) in global variables.	true
Customize	
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowTolterate_1 :

Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tFileInputDelimited_2	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Parameters:				
Properties	Values			
Unique Name	tLogRow_1			
Component Name	tLogRow			
Version	0.101 (ALPHA)			
Family	Logs_Errors			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tLogRow			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Subjob color				
Title color				
Enable parallel execution	false			
Number of parallel executions	2			

PARALLELIZE KEEP EMPTY false REPOSITORY_ALLOW_AUTO_SWITEGH Schema Built-In Basic true Table (print values in cells of a false table) Vertical (each row is a key/value list) Print unique name true Print unique name and label false Print unique name and label false Field Separator " " Print component unique name in front of each output row Print schema column name in front of each output row Print schema column name in front of each value Use fixed length for values [SCHEMA_COLUMN=fileName, LENGTH=10), (SCHEMA_COLUMN=bxSam LENGTH=10)] Print content with log4j false Min column number of optimize code Min column number of optimize code Label formatUNIQUE_NAME Hint formatON_UNIQUE_NAME Show Information false		
Schema Basic true Table (print values in cells of a table) Vertical (each row is a key/value list) Print unique name Print unique name and label Print unique name and label Field Separator T'' Print component unique name in front of each output row Print schema column name in front of each output row Print schema column name in front of each output row Use fixed length for values Lengths Lengths Lischema_COLUMN=fileName, LENGTH=10), {SCHEMA_COLUMN=txiSam} LENGTH=10), {SCHEMA_COLUMN=intSample, LENGTH=10}] Print content with log4j Min column number of optimize code Label format Lunique_NAME_ Lunique_NAME_ Lunique_NAME_ Lunique_NAME_ Lunique_NAME_ Lunique_NAME_ Lonnection format Connection format	PARALLELIZE_KEEP_EMPTY	false
Basic true Table (print values in cells of a table) Vertical (each row is a key/value list) Print unique name Print label Print unique name and label Print unique name and label Print unique name and label Print deader Print component unique name in front of each output row Print schema column name in front of each output row Use fixed length for values Lengths [(SCHEMA_COLUMN=fileName, LENGTH=10), (SCHEMA_COLUMN=txtSam LENGTH=10)], (SCHEMA_COLUMN=txtSam LENGTH=10)], (SCHEMA_COLUMN=intSample, LENGTH=10)] Print content with log4j false Min column number of optimize code Label format _UNIQUE_NAME Hint format connection format row	REPOSITORY_ALLOW_AUTO_SV	¥HTI€H
Table (print values in cells of a table) Vertical (each row is a keyl/value list) Print unique name true Print label false Print label false Print unique name and label false Print theader false Print component unique name in front of each output row Print schema column name in front of each output row Print schema column name in front of each value Use fixed length for values false Lengths (SCHEMA_COLUMN=fileName, LENGTH=10), (SCHEMA_COLUMN=txlSam LENGTH=10), (SCHEMA_COLUMN=intSample, LENGTH=10)] Print content with log4j false Min column number of optimize code Label formatUNIQUE_NAME Hint format	Schema	Built-In
Vertical (each row is a key/value list) Vertical (each row is a key/value list) Print unique name true Print label false Print unique name and label false Field Separator " " Print header false Print component unique name in front of each output row false Print schema column name in front of each value Use fixed length for values [(SCHEMA_COLUMN=fileName, LENGTH=10), {SCHEMA_COLUMN=txtSam LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH	Basic	true
list) Print unique name Print label Print label Field Separator Tit Print header Field Separator Tit Print component unique name in front of each output row Print schema column name in front of each value Use fixed length for values Lengths Lengths [(SCHEMA_COLUMN=fileName, LENGTH=10), (SCHEMA_COLUMN=txtSam LENGTH=10)] Print content with log4j false Min column number of optimize code Label format Label format Label format Label format Lounque_NAME		false
Print label Print unique name and label false Field Separator "I" Print header false Print component unique name in front of each output row Print schema column name in front of each value Use fixed length for values Lengths Lengths Lengths Lengths Lengtha—COLUMN=fileName, LENGTH=10), (SCHEMA_COLUMN=txtSam LENGTH=10), (SCHEMA_COLUMN=txtSam LENGTH=10), (SCHEMA_COLUMN=intSample, LENGTH=10)) Print content with log4j false Min column number of optimize code Label format LNIQUE_NAME LNIQUE_NAME LONIQUE_NAME LONIQUE		false
Print unique name and label Field Separator "I" Print header false Print component unique name in front of each output row Fint schema column name in front of each value Use fixed length for values Lengths [SCHEMA_COLUMN=fileName, LENGTH=10}, (SCHEMA_COLUMN=txtSam_LENGTH=10)], (SCHEMA_COLUMN=txtSam_LENGTH=10)] Frint content with log4j false Min column number of optimize code Label format UNIQUE_NAME Hint format connection format row	Print unique name	true
Field Separator Time Print header Fint component unique name in front of each output row Fint schema column name in front of each value Use fixed length for values Lengths [{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}}] Print content with log4j false Min column number of optimize code Label format Lengths L	Print label	false
Print component unique name in front of each output row Print schema column name in front of each value Use fixed length for values [{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}}] Print content with log4j false Min column number of optimize code Label format LUNIQUE_NAME Hint format Connection format row	Print unique name and label	false
Print component unique name in front of each output row Print schema column name in front of each value Use fixed length for values [{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}] Print content with log4j false Min column number of optimize code Label format UNIQUE_NAME Hint format connection format row	Field Separator	" "
Print schema column name in front of each value Use fixed length for values [{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}] Print content with log4j false Min column number of optimize code Label format UNIQUE_NAME Hint format connection format row	Print header	false
Use fixed length for values [{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}] Print content with log4j false Min column number of optimize code Label format UNIQUE_NAME Hint format connection format row		false
Lengths [{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSam LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}] Print content with log4j false Min column number of optimize code Label format UNIQUE_NAME Hint format connection format row	Print schema column name in front of each value	false
Print content with log4j false Min column number of optimize code Label format LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}] false 100 Label format LINIQUE_NAME Hint format Connection format Connection format LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}]	Use fixed length for values	false
Min column number of optimize code Label format UNIQUE_NAME Hint format _UNIQUE_NAME Connection format row	Lengths	[{SCHEMA_COLUMN=fileName, LENGTH=10}, {SCHEMA_COLUMN=txtSample, LENGTH=10}, {SCHEMA_COLUMN=intSample, LENGTH=10}]
Label format UNIQUE_NAME Hint format _UNIQUE_NAME _COMMENT Connection format row	Print content with log4j	false
Hint format		100
Connection format row	Label format	UNIQUE_NAME
	Hint format	UNIQUE_NAME COMMENT
Show Information false	Connection format	row
	Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
fileName	false	String			true	
txtSample	false	String			true	
intSample	false	Integer			true	

Original Function Parameters: