## Advanced DevOps Lab Experiment 10

DIV: D15C

Aim: To perform Port, Service monitoring, Windows/Linux server monitoring using

Nagios. Steps:

Prerequisites: AWS Free Tier, Nagios Server running on Amazon Linux Machine.


1. To Confirm that Nagios is running **on the server side**, run this *sudo systemctl status nagios* on the "NAGIOS HOST".

You can proceed if you get this message.

2. Before we begin,

To monitor a Linux machine, create an Ubuntu 20.04 server EC2 Instance in AWS.

Provide it with the same security group as the Nagios Host and name it 'linux-client' alongside the host.



For now, leave this machine as is, and go back to your nagios HOST machine.

3. On the server, run this command

```
ps -ef | grep nagios
Last login: Sat Oct 5 16:58:17 2024 from 42.111.112.18
[ec2-user@ip-172-31-43-65 ~]$ ps -ef | grep nagios
          97412
nagios
                   1 0 17:34 ?
                                         00:00:00 /usr/local/nagios/bin/nagios -d /usr/lo
           97413 97412 0 17:34 ?
                                         00:00:00 /usr/local/nagios/bin/nagios --worker /
nagios
s.qh
           97414 97412 0 17:34 ?
                                          00:00:00 /usr/local/nagios/bin/nagios --worker /
nagios
s.qh
           97415
                  97412 0 17:34 ?
                                          00:00:00 /usr/local/nagios/bin/nagios --worker /
nagios
s.qh
nagios
           97416 97412 0 17:34 ?
                                          00:00:00 /usr/local/nagios/bin/nagios --worker /
s.qh
           97417
                  97412 0 17:34 ?
                                          00:00:00 /usr/local/nagios/bin/nagios -d /usr/lo
nagios
ec2-user
           98423 98399 0 17:51 pts/2 00:00:00 grep --color=auto nagios
```

4. Become a root user and create 2 folders

```
sudo su
mkdir /usr/local/nagios/etc/objects/monitorhosts
mkdir /usr/local/nagios/etc/objects/monitorhosts/linuxhosts
```

```
[ec2-user@ip-172-31-43-65 ~]$ sudo su
mkdir /usr/local/nagios/etc/objects/monitorhosts
mkdir /usr/local/nagios/etc/objects/monitorhosts/linuxhosts
[root@ip-172-31-43-65 ec2-user]# |
```

5. Copy the sample localhost.cfg file to linuxhost folder

cp /usr/local/nagios/etc/objects/localhost.cfg
/usr/local/nagios/etc/objects/monitorhosts/linuxhosts/linuxserver.cfg

[root@ip-172-31-81-4 ec2-user]# cp /usr/local/nagios/etc/objects/localhost.cfg /usr/local/nagios/etc/objects/monitorhosts/linuxhosts/linuxserver.cfg [root@ip-172-31-81-4 ec2-user]# |

6. Open linuxserver.cfg using nano and make the following changes

nano

/usr/local/nagios/etc/objects/monitorhosts/linuxhosts/linuxserver.cfg

Change the hostname to linuxserver (EVERYWHERE ON THE FILE) Change address to the public IP address of your **LINUX CLIENT**.

```
GNU nano 5.8
                             /usr/local/nagios/etc/objects/monitorhosts/linuxhosts/linuxserver.cf
# NOTE: This config file is intended to serve as an *extremely* simple
     example of how you can create configuration entries to monitor the local (Linux) machine.
# HOST DEFINITION
# Define a host for the local machine
define host {
                                 ; Name of host template to use
; This host definition will inherit all variables that are defined
; in (or inherited by) the linux-server host template definition.
                  linux-server
                  localhost
  host_name
# HOST GROUP DEFINITION
```

Change hostgroup\_name under hostgroup to linux-servers1

Everywhere else on the file, change the hostname to linuxserver instead of localhost.

7. Open the Nagios Config file and add the following line nano /usr/local/nagios/etc/nagios.cfg

##Add this line

cfg\_dir=/usr/local/nagios/etc/objects/monitorhosts/



**DIV: D15C** 

8. Verify the configuration files

/usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg

```
Running pre-flight check on configuration data...
Checking objects...
        Checked 8 services.
        Checked 2 hosts.
        Checked 2 host groups.
        Checked 0 service groups.
        Checked 1 contacts.
        Checked 1 contact groups.
        Checked 24 commands.
        Checked 5 time periods.
Checked 0 host escalations.
        Checked 0 service escalations.
Checking for circular paths...
        Checked 2 hosts
        Checked 0 service dependencies
        Checked 0 host dependencies
        Checked 5 timeperiods
Checking global event handlers...
Checking obsessive compulsive processor commands...
Checking misc settings...
Total Warnings: 0
Total Errors:
Things look okay - No serious problems were detected during the pre-flight check
[root@ip-172-31-43-65 ec2-user]# |
```

You are good to go if there are no errors.

9. Restart the nagios service

```
service nagios restart
```

```
[root@ip-172-31-81-4 ec2-user]# service nagios restart
Redirecting to /bin/systemctl restart nagios.service
```

Now it is time to switch to the client machine.

- 10. SSH into the machine or simply use the EC2 Instance Connect feature.
- 11. Make a package index update and install gcc, nagios-nrpe-server and the plugins.

```
sudo apt update -y
sudo apt install gcc -y
sudo apt install -y nagios-nrpe-server nagios-plugins
```

```
ubuntu@ip-172-31-33-76:-$ sudo apt update -y
sudo apt install -y nagios-nrpe-server nagios-plugins
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-vapates/InRelease [126 kB]
Get:6 http://security.ubuntu.com/ubuntu noble-security/InRelease [126 kB]
Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [382 kB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [269 kB]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:13 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:14 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [537 kB]
Get:15 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [537 kB]
Get:16 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [480 kB]
Get:17 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [537 kB]
Get:18 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [480 kB]
Get:19 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [14.4 kB]
Get:19 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [14.4 kB]
Get:20 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [14.4 kB]
Get:21
```

12. Open nrpe.cfg file to make changes.

```
sudo nano /etc/nagios/nrpe.cfg
Under allowed hosts, add your nagios host IP address like so
```





13. Restart the NRPE server

```
sudo systemctl restart nagios-nrpe-server
ubuntu@ip-172-31-83-152:~$ sudo nano /etc/nagios/nrpe.cfg

ubuntu@ip-172-31-83-152:~$ sudo systemctl restart nagios-nrpe-server
ubuntu@ip-172-31-83-152:~$
```

14. Now, check your nagios dashboard and you'll see a new host being added.


Click on Hosts.




## Click on linuxserver to see the host details



## Host Status Details For All Host Groups



Results 1 - 2 of 2 Matching Hosts



Results 1 - 8 of 8 Matching Services

NAME: NISHANT S KHETAL DIV: D15C ROLL NO:

24

As you can see, we have our linuxserver up and running. It is showing critical status on HTTP due to permission errors and swap because there is no partition created.

In this case, we have monitored -

Servers: 1 linux server

Services: swap

**Ports: 22, 80 (ssh, http)** 

Processes: User status, Current load, total processes, root partition, etc.

## **Recommended Cleanup**

• Terminate both of your EC-2 instances to avoid charges.

• Delete the security group if you created a new one (it won't affect your bill, you may avoid it)

**Conclusion:** In conclusion, the experiment focused on monitoring ports, services, and a Linux server using Nagios. Through the step-by-step process, we successfully configured Nagios to monitor essential network services on the Linux server. By setting up both the Nagios host and client, we were able to track system performance, ensure service availability, and monitor key metrics like CPU and memory usage.