Assignment-1 CHAPETR-11

Limits, Continuity and Differentiability

EE24BTECH11048-NITHIN.K

1 C:MCQs with One Correct Answer

- 1) Let $g(x) = \frac{(x-1)^n}{\log \cos^m x 1}$; 0 < x < 2, m and n are integers, $m \ne 0$, n > 0, and let p be the left hand derivative of |x 1| at x = 1. If $\lim_{x \to 1^+} g(x) = p$, then (2008)
 - a) n = 1, m = 1
 - b) n = 1, m = -1
 - c) n = 2, m = 2
 - d) n > 2, m = n
- 2) If $\lim_{x\to 0} [1 + x \ln 1 + b^2]^{\frac{1}{x}} = 2b \sin^2 \theta$, b > 0 and $\theta \in (-\pi, \pi]$, then the value of θ is (2011)
 - a) $\pm \frac{\pi}{4}$
 - b) $\pm \frac{\pi}{3}$
 - c) $\pm \frac{\pi}{6}$
 - d) $\pm \frac{3}{2}$

3) If
$$\lim_{x \to \infty} \left(\frac{x^2 + x + 1}{x + 1} - ax - b \right) = 4$$
, then (2012)

- a) a = 1, b = 4
- b) a = 1, b = -4
- c) a = 2, b = -3
- d) a = 2, b = 3

4) Let
$$f(x) = \begin{cases} x^2 \left| \cos \frac{\pi}{x} \right| & , x \neq 0 \\ 0 & , x = 0 \end{cases}$$
, $x \in \mathbb{R}$ then f is (2012)

- a) differentiable both at x = 0 and at x = 2
- b) differentiable at x = 0 but not differentiable at x = 2
- c) not differentiable at x = 0 but differentiable at x = 2
- d) differentiable neither at x = 0 nor at x = 2
- 5) Let $\alpha(a)$ and $\beta(a)$ be the roots of the equation $(\sqrt[3]{1+a}-1)x^2+(\sqrt[2]{1+a}-1)x+(\sqrt[6]{1+a}-1)=0$ where a>-1. then $\lim_{a\to 0^+}\alpha(a)$ and $\lim_{a\to 0^+}\beta(a)$ are (2012)
 - a) $-\frac{5}{2}$ and 1
 - b) $-\frac{1}{2}$ and 1
 - c) $-\frac{7}{2}$ and 2
 - d) $-\frac{6}{2}$ and 3

2 D:MCOs with One or More than One Correct

- 6) If x + |y| = 2y, then y as a function of x is (1984-3marks)
 - a) defined for all real x
 - b) continuous at x = 0
 - c) differentiable for all x
 - d) such that $\frac{dy}{dx} = \frac{1}{3}$ for x < 0

7) If
$$f(x) = x(\sqrt{x} - \sqrt{x+1})$$
, then-
(1985-2marks)

- a) f(x) is continuous but not differentiable at x = 0
- b) f(x) is differentiable at x = 0
- c) f(x) is not differentiable at x = 0
- d) none of these
- 8) The function $f(x) = 1 + |\sin x|$ is

(1986-2marks)

- a) continuous nowhere
- b) continuous everywhere
- c) differentiable nowhere
- d) not differentiable at x = 0
- e) not differentiable at infinite number of points
- 9) Let [x] denote the greatest integer less than or equal to x. If $f(x) = [x \sin \pi x]$, then (1986-2marks) f(x) is
 - a) continuous at x = 0
 - b) continuous in (-1,0)
 - c) differentiable at x = 1
 - d) differentiable in (-1, 1)
 - e) none of these
- 10) The set of all points where the function $f(x) = \frac{x}{(1+|x|)}$ is differentiable, is (1987-2marks)
 - a) $(-\infty, \infty)$
 - b) $[0, \infty)$
 - c) $(-\infty,0) \cup (0,\infty)$
 - d) $(0, \infty)$
 - e) None
- 11) The function

$$f(x) = \begin{cases} |x-3| & ,x \ge 1\\ \frac{x^2}{4} - \frac{3x}{2} + \frac{13}{4}, & ,x < 1 \end{cases}$$
, is (1988-2marks)

- a) continuous at x = 1
- b) differentiable at x = 1
- c) continuous at x = 3
- d) differentiable at x = 3
- 12) If $f(x) = \frac{1}{2}x 1$, then on the interval $[0, \pi]$ (1989-2marks)
 - a) $\tan [f(x)]$ and $\frac{1}{f(x)}$ are both continuous b) $\tan [f(x)]$ and $\frac{1}{f(x)}$ are both discontinuous

 - c) $\tan [f(x)]$ and $f^{-1}x$ are both continuous

d)
$$\tan [f(x)]$$
 is continuous but $\frac{1}{f(x)}$ is not

13) The value of $\lim_{x\to 0} \frac{\sqrt{\frac{1}{2}(1-\cos 2x)}}{x}$ (1991-2marks)

- a) 1
- b) -1
- c) 0
- d) none of these
- 14) The following functions are continuous on $(0,\pi)$ (1991-2marks)
 - a) $\tan x$

a)
$$\tan x$$

b) $\int_0^x t \sin \frac{1}{t} dt$
c) $\begin{cases} 1 & ,0 < x \le \frac{3\pi}{4} \\ 2 \sin \frac{2}{9}x & ,\frac{3\pi}{4} < x < \pi \end{cases}$
d) $\begin{cases} x \sin x & ,0 < x \le \frac{\pi}{2} \\ \frac{\pi}{2} \sin \pi + x & ,\frac{\pi}{2} < x < \pi \end{cases}$
15) Let $f(x) = \begin{cases} 0 & ,x < 0 \\ x^2 & ,x \le 0 \end{cases}$ then for all $x = x$

15) Let
$$f(x) = \begin{cases} 0, & x < 0 \\ x^2, & x \le 0 \end{cases}$$
 then for all x (1994)

- a) f' is differentiable
- b) f is differentiable
- c) f' is continuous
- d) f is continuous