

/home/osboxes/bambu
/PandA-bambu/src/frontend
_analysis/IR_analysis/string
_cst_fix.hpp

```
graph BT; A["/home/osboxes/bambu  
/PandA-bambu/src/frontend  
_analysis/frontend_flow  
_step_factory.cpp"] --> C["/home/osboxes/bambu  
/PandA-bambu/src/frontend  
_analysis/IR_analysis/string  
_cst_fix.hpp"]; B["/home/osboxes/bambu  
/PandA-bambu/src/frontend  
_analysis/IR_analysis/string  
_cst_fix.cpp"] --> C;
```

The diagram illustrates a file dependency structure. At the top is a header file box (shaded gray) containing the path `/home/osboxes/bambu/PandA-bambu/src/frontend_analysis/IR_analysis/string_cst_fix.hpp`. Below it are two source file boxes (white). The left box contains `/home/osboxes/bambu/PandA-bambu/src/frontend_analysis/frontend_flow_step_factory.cpp` and the right box contains `/home/osboxes/bambu/PandA-bambu/src/frontend_analysis/IR_analysis/string_cst_fix.cpp`. Blue arrows point from each source file box up to the header file box, indicating that both source files include this header.

/home/osboxes/bambu
/PandA-bambu/src/frontend
_analysis/frontend_flow
_step_factory.cpp

/home/osboxes/bambu
/PandA-bambu/src/frontend
_analysis/IR_analysis/string
_cst_fix.cpp