

CloudWatch And CloudTrail

Questions

Using Amazon CloudWatch's Free Tier, what is the frequency of metric updates, which you receive?

1. 5 minutes
2. 500 milliseconds.
3. 30 seconds
4. 1 minute

Using Amazon CloudWatch's Free Tier, what is the frequency of metric updates, which you receive?

1. 5 minutes
2. 500 milliseconds.
3. 30 seconds
4. 1 minute

What is the minimum time Interval for the data that Amazon CloudWatch receives and aggregates?

1. One second
2. Five seconds
3. One minute
4. Three minutes
5. Five minutes

What is the minimum time Interval for the data that Amazon CloudWatch receives and aggregates?

1. One second
2. Five seconds
- 3. One minute**
4. Three minutes
5. Five minutes

A company needs to monitor the read and write IOPs metrics for their AWS MySQL RDS instance and send real-time alerts to their operations team. Which AWS services can accomplish this? Choose 2 answers

- Amazon Simple Email Service
- Amazon CloudWatch
- Amazon Simple Queue Service
- Amazon Route 53
- Amazon Simple Notification Service

A company needs to monitor the read and write IOPs metrics for their AWS MySQL RDS instance and send real-time alerts to their operations team. Which AWS services can accomplish this? Choose 2 answers

- Amazon Simple Email Service
- **Amazon CloudWatch**
- Amazon Simple Queue Service
- Amazon Route 53
- **Amazon Simple Notification Service**

Amazon CloudWatch supports which types of monitoring plans? (Choose 2 answers)

- A. Basic monitoring, which is free
- B. Basic monitoring, which has an additional cost
- C. Ad hoc monitoring, which is free
- D. Ad hoc monitoring, which has an additional cost
- E. Detailed monitoring, which is free
- F. Detailed monitoring, which has an additional cost

Amazon CloudWatch supports which types of monitoring plans? (Choose 2 answers)

A. Basic monitoring, which is free

B. Basic monitoring, which has an additional cost

C. Ad hoc monitoring, which is free

D. Ad hoc monitoring, which has an additional cost

E. Detailed monitoring, which is free

F. Detailed monitoring, which has an additional cost

Which of the following CloudWatch features store performance data from AWS services?

- A. Logs
- B. Metrics
- C. Events
- D. Metric filters
- E. Alarms

Which of the following CloudWatch features store performance data from AWS services?

A. Logs

B. Metrics

C. Events

D. Metric filters

E. Alarms

For which of the following scenarios can you create a CloudWatch alarm to send a notification?

- A. A metric that doesn't change for 24 hours
- B. Termination of an EC2 instance
- C. The presence of a specific IP address in a web server log
- D. A metric that exceeds a given threshold

For which of the following scenarios can you create a CloudWatch alarm to send a notification?

- A. A metric that doesn't change for 24 hours
- B. Termination of an EC2 instance
- C. The presence of a specific IP address in a web server log
- D. A metric that exceeds a given threshold**

A customer needs to capture all client connection information from their load balancer every five minutes. The company wants to use this data for analyzing traffic patterns and troubleshooting their applications. Which of the following options meets the customer requirements?

- Enable AWS CloudTrail for the load balancer.
- Enable access logs on the load balancer.
- Install the Amazon CloudWatch Logs agent on the load balancer.
- Enable Amazon CloudWatch metrics on the load balancer

A customer needs to capture all client connection information from their load balancer every five minutes. The company wants to use this data for analyzing traffic patterns and troubleshooting their applications. Which of the following options meets the customer requirements?

- Enable AWS CloudTrail for the load balancer.
- **Enable access logs on the load balancer.**
- Install the Amazon CloudWatch Logs agent on the load balancer.
- Enable Amazon CloudWatch metrics on the load balancer

Which AWS service can identify the person who made the API request when an Amazon EC2 instance is terminated?

- A. Amazon CloudWatch
- B. AWS CloudTrail
- C. AWS X-Ray
- D. AWS Identity and Access Management (IAM)

Which AWS service can identify the person who made the API request when an Amazon EC2 instance is terminated?

A. Amazon CloudWatch

B. AWS CloudTrail

C. AWS X-Ray

D. AWS Identity and Access Management (IAM)