

IndexedDB Quick Start Guide

Learn how to:

- Use IndexedDB in the browser
- Create a DB, store, and data
- Read and update records

1. What is IndexedDB?

- A low-level, key-value store built into all modern browsers
- Works asynchronously using events and transactions
- Great for storing large amounts of structured data offline

2. Open a Database

```
const request = indexedDB.open("MyDB", 1);

request.onupgradeneeded = function(event) {
  const db = event.target.result;
  db.createObjectStore("users", { keyPath: "id" });
};
```

3. Add Data

```
request.onsuccess = function(event) {  
  const db = event.target.result;  
  const tx = db.transaction("users", "readwrite");  
  const store = tx.objectStore("users");  
  
  store.add({ id: 1, name: "Alice" });  
  store.add({ id: 2, name: "Bob" });  
  
  tx.oncomplete = () => db.close();  
};
```

4. Read Data

```
const request = indexedDB.open("MyDB");

request.onsuccess = function(event) {
  const db = event.target.result;
  const tx = db.transaction("users", "readonly");
  const store = tx.objectStore("users");

  const getRequest = store.get(1);
  getRequest.onsuccess = () => {
    console.log(getRequest.result);
  };
};
```

You're Ready

- IndexedDB works in all modern browsers
- Offline-first, structured data storage
- Great for PWAs and local storage

 [MDN IndexedDB Docs](#)