

# **(Optional) Installing NGINX using Choco**

# Understanding SC and NSSM

## Windows Service Controller (SC)

- It's a built-in Windows command-line tool.
- You use it to create, start, stop, delete, or query Windows services.

```
sc create MyService binPath= "C:\path\to\myprogram.exe"  
sc start MyService  
sc stop MyService  
sc delete MyService
```

## Non-Sucking Service Manager (NSSM)


- It's a third-party tool that makes it easier to run any program (like nginx, php-cgi, python, node, etc.) as a Windows service.
- Useful because some programs don't behave like proper services, and sc alone struggles with them.

```
nssm install MyService C:\path\to\myprogram.exe
```

## Install Choco (if not installed)

### 1. Open PowerShell as Administrator

Choose Powershell in Terminal tab -> Right click on the "Windows Powershell" -> Open a Terminal.



## 2. Run this command:

```
Set-ExecutionPolicy Bypass -Scope Process -Force; `
[System.Net.ServicePointManager]::SecurityProtocol = `
[System.Net.ServicePointManager]::SecurityProtocol -bor 3072; `
iex ((New-Object System.Net.WebClient).DownloadString('https://community.chocolatey.org/install.ps1'))
```

## 3. Check version

```
choco --version
```

# Checking Choco

Check what packages are installed using choco.

```
C:\Users\smcho>choco list -l  
Chocolatey v1.2.1  
chocolatey 1.2.1  
chocolatey-compatibility.extension 1.0.0  
chocolatey-core.extension 1.4.0
```

# Install NGINX

Install in the Powershell administrator mode.

```
choco install nginx
```

## Step 3: Start NGINX

```
# Navigate to NGINX directory (usually C:\tools\nginx)
cd C:\tools\nginx
.\nginx.exe
```

1. Choco installs nginx in `c:\tools\nginx-  
VERSION`.



2. Choco runs post install script to run **nginx** automatically.

```
PS C:\Users\smcho> tasklist | findstr nginx
nginx.exe          7708 Services          0      10,012 K
nginx.exe          12292 Services         0      10,204 K
```

Choco also installs nssm as a dependency.

```
PS C:\Users\smcho> choco list -l
nginx 1.29.0
nssm 2.24.101.20180116
```

3. Open your browser and access "localhost" to see nginx is running.

# nssm and nginx

When installing nginx using Chocolatey (choco), the Non-Sucking Service Manager (NSSM) is installed and used to manage nginx as a Windows service instead of the native Windows Service Controller (sc).

- Use `nssm start/stop/restart` not `sc`.

```
nssm start nginx
nssm stop nginx
nssm restart nginx
```

```
PS C:\Users\smcho> nssm stop nginx
nginx: STOP: The operation completed successfully.
```

```
PS C:\Users\smcho> tasklist | findstr nginx
```

```
PS C:\Users\smcho> nssm start nginx
nginx: START: The operation completed successfully.
```

```
PS C:\Users\smcho> tasklist | findstr nginx
nginx.exe          20592 Services          0      9,840 K
nginx.exe          7068 Services          0     10,172 K
```

## To remove nginx as a service

```
nssm stop nginx  
nssm remove nginx confirm
```

## To start nginx as a service again

```
nssm install nginx "C:\tools\nginx-1.29.0\nginx.exe"  
nssm start nginx
```

## Uninstall nginx/nssm

- You can uninstall nginx.

```
choco uninstall nginx
```

- If choco installs nssm (together with nginx), and if you want to delete nssm.

```
choco uninstall nssm
```

# NSSM, SC, and NGINX

- You use nssm once to install, and after that, you can use sc or net commands for daily start/stop.
- sc only works if nginx is properly registered as a service.

```
PS C:\Users\smcho> sc.exe query type= service state= all | findstr /I "nginx"  
SERVICE_NAME: nginx  
DISPLAY_NAME: nginx
```

- Be sure to use `sc.exe`, not `sc`, in Powershell.

```
PS C:\Users\smcho> sc.exe stop nginx
```

```
SERVICE_NAME: nginx
        TYPE               : 10  WIN32_OWN_PROCESS
        STATE               : 3  STOP_PENDING
                           (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x1
        WAIT_HINT           : 0xdac
```

```
PS C:\Users\smcho> sc.exe start nginx
```

```
SERVICE_NAME: nginx
        TYPE               : 10  WIN32_OWN_PROCESS
        STATE               : 2  START_PENDING
                           (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x0
        WAIT_HINT           : 0x7d0
        PID                 : 20836
```