

## INTEGER NUMBERS

## Why

We want to subtract numbers.<sup>1</sup>

## Definition

Consider the set  $\omega \times \omega$ . This set is the set of ordered pairs of  $\omega$ . In other words, the ordered pairs of natural numbers.

We say that two of these ordered pairs (a, b) and (c, d) is integer equivalent the a + d = b + c. Briefly, the intuition is that (a, b) represents a less b, or in the usual notation "a - b". So this equivalence relation says these two are the same if a - b = c - d or else a + d = b + c.

**Proposition 1.** Integer equivalence is an equivalence relation.<sup>3</sup>

We define the set of integer numbers to be the set of equivalence classes (see Equivalence Relations) under integer equivalence on  $\omega \times \omega$ . We call an element of the set of integer numbers an integer number or an integer. We call the set of integer numbers the set of integers or integers for short.

<sup>&</sup>lt;sup>1</sup>Future editions will change this why. In particular, by referencing Inverse Elements and the lack thereof in  $\omega$ .

<sup>&</sup>lt;sup>2</sup>This account will be expanded in future editions.

<sup>&</sup>lt;sup>3</sup>The proof is straightforward. It will be included in future editions.

## Notation

We denote the set of integers by  ${\bf Z}$ . If we denote integer equivalence by  $\sim$  then  ${\bf Z}=(\omega\times\omega)/\sim$ .

