

## Norms

## Why

We want to measure the size of an element in a vector space.

## Definition

A norm is a real-valued functional that is (a) non-negative, (b) definite, (c) absolutely homogeneous, (d) and satisfies a triangle inequality. The triangle inequality property requires that the norm applied to the sum of any two vectors is less than the sum of the norms.

A *norm space* is an ordered pair: a vector space whose field is the real or complex numbers and a norm on the space. We require the vector space to be over the field of real or complex numbers because of absolute homogeneity: the absolute value of a scalar must be defined.

## Notation

Let (X, F) be a vector space where F is the field of real numbers or the field of complex numbers. Let R denote the set of real numbers. Let  $f: X \to R$ . The functional f is a norm if

- 1.  $f(v) \ge 0$  for all  $x \in V$
- 2. f(v) = 0 if and only if  $x = 0 \in X$ .
- 3.  $f(\alpha x) = |\alpha| f(x)$  for all  $\alpha \in F$ ,  $x \in X$

4.  $f(x+y) \le f(x) + f(y)$  for all  $x, y \in X$ .

In this case, for  $x \in X$ , we denote f(x) by |x|, read aloud "norm x". The notation follows the notation of absolute value as a norm. When we wish to distinguish the norm from the absolute value function, we may write ||x||. In some cases, we go further, and for a norm indexed by some parameter  $\alpha$  or set A we write  $||x||_{\alpha}$  or  $||x||_{A}$ .

