

MONOTONIC MATRIX FUNCTIONS

Why

Since we have a partial order on the set of positive semidefinite matrices, we can study which familiar functions are have orderpreserving or order-reversing properties.

Norms

It would be nice if the matrix norm induced by the matrix scalar produce (see Matrix Scalar Product) was an isotonic function. In other words, if $A, B \in \mathbf{S}^d$ satisfy $A \geq B$, does $||A|| \geq ||B||$?

Since $||A||^2 = \operatorname{tr} A^2$, we should study the trace first...

Trace

Proposition 1. Let $f: \mathbf{S}^d \to \mathbf{R}$ defined by $f(A) = \operatorname{tr} A$.

In other words, the function f is the restriction of the trace function onto the set of symmetric matrices.

Proposition 2. Let $B \in \mathbf{S}^d$ Let $f_B : \mathbf{S}^d \to \mathbf{R}$ defined by $f(A) = \operatorname{tr} AB$.

Inversion

Proposition 3. Let $A \in \mathbf{S}_{++}^d$. Then the map $f: \mathbf{S}_{++}^d \to \mathbf{S}_{++}^d$ satisfying $f(A) = A^{-1}$ is an isotonic function mapping the (open) positive definite cone into itself.¹

¹Future editions will include a proof.

