

Tree Approximators of a Normal

1 Why

What is the optimal tree approximator of a multivariate normal density?

2 Result

Proposition 1. Let $g: \mathbb{R}^n \to \mathbb{R}$ be a normal density with mean $\mu \in \mathbb{R}^d$ and covariance $\Sigma \in \mathbb{S}_{++}^d$. The normal density $f_T^*: \mathbb{R}^d \to \mathbb{R}$ with mean μ and precision matrix P defined by

•
$$P_{11} = \Sigma_{11}^{-1} + \sum_{\mathbf{pa}_i=1} \Sigma_{j1}^2 \Sigma_{11}^{-2} \Sigma_{j|1}^{-1}$$

• for
$$i = 2, ..., d$$
, $P_{ii} = \sum_{\substack{i \mid \mathbf{pa}_i}}^{-1} + \sum_{\substack{\mathbf{pa}_i = i}}^{} \sum_{\substack{j \mid i}}^{2} \sum_{ii}^{-2} \sum_{j \mid i}^{-1}$

•
$$i, j = 1, \dots d$$
 and $i = pa_j, P_{ij} = P_{ji} = -\sum_{ji} \sum_{ij}^{-1} \sum_{j|i}^{-1}$

where \mathbf{pa}_i is the parent of i in an optimal approximator tree T $(i=2,\ldots,n)$ is an optimal tree approximator of g.

Proof. Using Proposition 1 of Best Tree Density Approximators, express an optimal tree approximator of g by

$$(1/c) \exp \left(-\frac{1}{2} \left(\Sigma_{11}^{-1} \bar{x}_1^2 + \sum_{i \neq 1} \left(\bar{x}_i - \Sigma_{i, \mathbf{pa}_i} \Sigma_{\mathbf{pa}_i, \mathbf{pa}_i}^{-1} \bar{x}_{\mathbf{pa}_i} \right)^2 \Sigma_{i | \mathbf{pa}_i}^{-1} \right) \right)$$

where
$$\bar{x}_i = x_i - \mu_i$$
 and $c = \sqrt{(2\pi)^d \sum_{11} \prod_{i \neq 1} \sum_{i \mid \mathbf{pa}_i}}$.

Second, express the quadratic in the exponential as

$$\Sigma_{11}^{-1}\bar{x}_1^2 + \sum_{i \neq 1} \left[\Sigma_{i|\mathbf{pa}_i}^{-1}\bar{x}_i^2 - 2\Sigma_{i,\mathbf{pa}_i}\Sigma_{\mathbf{pa}_i,\mathbf{pa}_i}^{-1}\Sigma_{i|\mathbf{pa}_i}^{-1}\bar{x}_i\bar{x}_{\mathbf{pa}_i} + \Sigma_{i,\mathbf{pa}_i}^2\Sigma_{\mathbf{pa}_i,\mathbf{pa}_i}^{-2}\Sigma_{i|\mathbf{pa}_i}^{-1}\bar{x}_{\mathbf{pa}_i}^2 \right]$$

With P defined as earlier, we can express the above as $\bar{x}^{\top}P\bar{x}$.

Third, note that c is $\sqrt{(2\pi)^d \det P^{-1}}$ since f_T^* is a density and so integrates to one.

Notice that f_T^* is a tree normal density.

3 Empirical Normal

In particular, notice that we can approximate the empirical normal density of a dataset with a density that factors according to a tree.