

# Signed Measures

## 1 Why

We allow measures to take negative values. We want a vector space of finite measures. TODO

### 2 Definition

An extended-real-valued function on a sigma algebra is **countably additive** if the result of the function applied to the union of a disjoint countable family of distinguished sets is the limit of the partial sums of the results of the function applied to each of the sets individually. The limit of the partial sums must exist irregardless of the summand order.

A **signed measure** is an extended-real-valued function on a sigma algebra that is (1) zero on the empty set and (2) countably additive. We call the result of the function applied to a set in the sigma algebra the **signed measure** (or when no ambiguity arises, the **measure**) of the set.

A **finite** signed measure is one for which the measure of every set is finite. This condition is equivalent to the base set having finite measure (see below).

#### 2.1 Notation

We denote signed measures by  $\mu$  a mnemonic for "measure." Let  $(X, \mathcal{A})$  be a measurable space and let  $\mu : \mathcal{A} \to [-\infty, \infty]$ . Then  $\mu$  is a signed measure if

- 1.  $\mu(\varnothing) = 0$  and
- 2.  $\mu(\cup_i A_i) = \lim_{n \to \infty} \sum_{k=1}^n \mu(A_k)$  for all disjoint families  $\{A_n\}_n$ .

## 3 Infinite Exclusivity

**Proposition 1.** A signed measure is finite if and only if it is finite on the base set.

Proof. Let  $(X, \mathcal{A})$  be a measurable space. Let  $\mu : \mathcal{A} \to [-\infty, \infty]$  be a signed measure.  $(\Rightarrow)$  If  $\mu$  is finite, then  $\mu(X)$  is finite since  $X \in \mathcal{A}$ .  $(\Leftarrow)$  Next, suppose  $\mu(X)$  is finite. Let  $A \in \mathcal{A}$ . Then  $X = A \cup (X - A)$ , with these sets disjoint, so by countable additivity of  $\mu$ ,  $\mu(X) = \mu(A) + \mu(X - A)$ . Since  $\mu(X)$  finite,  $\mu(A)$  and  $\mu(X - A)$  are both finite.

**Proposition 2.** A signed measure never takes both positive infinity and negative infinity.

*Proof.* Let  $(X, \mathcal{A})$  be a measurable space. Let  $\mu : \mathcal{A} \to [-\infty, \infty]$  be a signed measure. First, suppose  $\mu(X)$  is finite, Then by Proposition 1  $\mu$  is finite for each  $A \in \mathcal{A}$ .

Suppose  $\mu(X) = \infty$ . Let  $A \in \mathcal{A}$ . As before,  $\mu(X) = \mu(A) + \mu(X - A)$ . Since  $\mu(X) = +\infty$ , then both of  $\mu(A)$  and  $\mu(X - A)$  must be either finite or  $+\infty$ . Argue similarly for  $\mu(X) = -\infty$ .