



## Why

We want to discuss interactive decision making.

### Example: rock paper scissors

We are interested in talking about situations in which there are several *decision makers*, *agents* or *players*, each of which are making decisions that will affect the outcome for all involved.

Consider the game “rock-paper-scissors” in which there are two players  $A$  and  $B$ . Each player may choose one of the three actions ROCK, PAPER, SCISSORS. To play the game, each player simultaneously selects an action, and these are compared.

So far we have a set of *players* or *agents*  $P = \{A, B\}$  and a set of actions  $\{\text{ROCK, PAPER, SCISSORS}\}$ . In this case, both agents have the same set of actions, but they need not.

### Example: tic-tac-toe

Consider the game “tic-tac-toe” in which there are two players. Denote the players by  $X$  and  $O$ . The game starts with an empty  $3 \times 3$  array, which the players proceed to “fill.”

Player  $O$  starts and selects a cell in which to “mark her move.” From then on, that cell is “occupied,” Second, it is player  $X$ ’s turn to pick a cell, any one that is not already occupied. The play proceeds until either all cells are occupied or one of the player has three cells in a row, horizontally, verti-

cally, or diagonally.

## 1 Definition

In both these games there is a finite set of *players*, or *agents*, or *controllers*. Let  $\mathcal{I}$  be a finite set with  $|\mathcal{I}| = n$ , the players.

In rock-paper-scissors, for example,  $\mathcal{I} = \{A, B\}$ . There, each player could pick one of the three actions. Define  $\mathcal{A}_A = \mathcal{A}_B = \{\text{ROCK}, \text{PAPER}, \text{SCISSORS}\}$ . We call  $\mathcal{A}_A$  the actions of  $A$  and  $\mathcal{A}_B$  the actions of  $B$ .

We have a set of outcomes  $\mathcal{O} = \{\text{A WINS}, \text{B WINS}, \text{TIE}\}$ . Let  $f : \mathcal{A}_A \times \mathcal{A}_B \rightarrow \mathcal{O}$  defined by  $f(\text{ROCK}, \text{SCISSORS}) = \text{A WINS}$

the set of *players*. Let  $S$  be a finite set, the set of *states*. For  $i = 1, \dots, n$ , let  $\{A_s^p\}_{s \in S}$  be a family of sets, the *action sets by state*. Define  $\mathcal{A}^i = \cup_s A_s^p$  the set of *actions* for player  $i = 1, \dots, n$ .

Let  $f : S \times \prod_i \mathcal{A}^i \rightarrow S$ , the *game dynamics* or *transition function*.



## Definition

The first thing to discuss is the set of players. Let  $P$  be a finite set with  $|P| = n$ . The set  $P$  is the set of players, and we

We begin with a single-player game.

Let  $S$  be a set.



